



Table of Contents

• This SpecCatalog...Introduction	1
• Introduction to Organizational Worktools	7
How to Order	12
Slatwall Products	14-20
WorkFlo® Rail Products	21-25
Storage Containers	26
Freestanding & Storage Solutions Products	27-29
• Introduction to Personal Task Lighting	31
How to Order	34
Personal Task Lights	37-43
• Introduction to Computer Support Tools	45
MVPs	48-49
How to Specify	50-51
SpecCharts	52-61
Mechanisms	62-63
Platforms	64-65
Assemblies & Fixed Mount Combinations	66-67
Flat Panel Monitor Supports & Brackets	68-69
Additional Computer Support Tools	70-74
• Value-added Services	76
• Terms & Conditions	77-78
• Index	79-81
• Finishes	82



This SpecCatalog...

...is precisely what you need to
SELECT AND SPECIFY Details
 products. Of course, we also provide
 the human touch to assist you.
DETAILS CUSTOMER ALLIANCE
 people are trained to help you
 determine the right products to fit
 both budget and application
 parameters. 800.833.0411 gets
 you their ears and insight.

Product highlights:


- Stanchion mounted Slatwall • Galilei™ Passive shelf & Galilei worktools • Frost worktools – Slatwall-based
- Chester™ task light • Jules™ keyboard platform • Freestanding palm rest
- Furniture system – Smoke™ from Turnstone® • Seating – Uno™ from Turnstone®







**There must be
a better way.**



Many people work in space like this. But isn't there a better way to SUPPORT THE MANY WAYS PEOPLE WORK? Isn't there a better way to help them cope with EVER-SHRINKING SPACE and EVER-GROWING TECHNOLOGY? And those piles of paper! Maybe there's even a way for people to FEEL BETTER about how they work and where they work. Perhaps a way to help put A SMILE on their face. THERE SIMPLY MUST BE A BETTER WAY.



There is.





Space to work in is one thing. But SPACE THAT REALLY WORKS is something else again. Details delivers that "something else." Again and again. We do it when people first move into their space. And we do it later...when people need to adapt the space to suit new needs.

Look to Details to help MANAGE CLUTTER, to ORGANIZE INFORMATION, to ALLEVIATE EYESTRAIN and to provide healthy ways to HANDLE COMPUTING TECHNOLOGY.

Details. We HELP MAKE THE WORKSTATION WORK.

Product highlights:

• Frost worktools – freestanding and Slatwall-based • Pisa™ task lights • Flat Panel Monitor supported by Flat Panel Monitor Arm • File and Project Containers • Slider keyboard platform • Furniture system – Pathways™ Post and Beam® from Steelcase® • Seating – Leap® from Steelcase®



maximize

Space



As workspace shrinks and job responsibilities expand, we need to find better ways to HELP PEOPLE DO MORE IN LESS... less space and less time. People need workspace that functions with vitality; space that adjusts to all that they do. Details merges aesthetics with function to help MAXIMIZE YOUR INVESTMENT IN PEOPLE AND FURNITURE. Expansive thinking expands the precious commodity of workspace.



**Workspace designed to
support the data collection**

**function of research labs
and health care facilities
needs to deliver security,
privacy and accuracy.**

Details helps make it happen.






Product highlights:

- Fern worktools – freestanding and Slatwall-based • IOS™ task light • Flat Panel Monitors supported by Flat Panel Monitor Arms
- Jules keyboard platform • Furniture system – Kick® from Turnstone® • Seating – Jersey® from Turnstone®

Organizational Worktools... great use of available space.

Details ergonomically sound worktools help eliminate twisting and excessive reaching by keeping office tools within easy reach. These unique storage solutions are supported by three mix and match platforms: Slatwall, WorkFlo® Rail and Freestanding.



01S0177





01S0168

SLATWALL Tiles mount on panels or walls; can also mount on a worksurface with freestanding stanchions. Especially suited for dense paper management (up to 60 lbs.).



01S0211

WORKFLO® RAIL Rails mount on panels or walls; can also mount on a worksurface with freestanding stanchions. Supports heavy computer equipment (up to 100 lbs.) and other Details worktools.

FREESTANDING Helps to maintain order on worksurfaces, inside binder bins and other storage units.

Ordering Organizational Worktools

SLATWALL Allows vertical stacking anywhere on the tile. Available for straight-mounting applications only.

WORKFLO® RAIL Makes maximum use of space above and below the worksurface. Available for straight or corner-mount applications.

FREESTANDING Organizes space on the worksurface, inside binder bins and in other storage units.

Selecting the Support System

When determining the best support system – or combination of systems – consider the following:

1. **Primary Need:** Technology support or paper management
2. **Type of Application:** Straight or corner

Support System Comparison

	WorkFlo Rail	Slatwall Tile
Primary need	Technology support	Paper management
Panel-mount	Yes	Yes
Wall-mount	Yes	Yes
Freestanding mount available	Yes	Yes
Context® stanchion compatible	Yes	Yes
Pathways® Segment® compatible	Yes	Yes
Corner application	Yes	No
Maximum support weight	100 lbs.	60 lbs.
Number of compatible worktools	15	28
Number of available widths	8	6
Horizontal flexibility	Yes	Yes
Vertical flexibility	No	Yes
Maximum overhang from panel connection	12"*	12"*

* 15" overhang for 60"- wide application; 12" overhang for all other sizes

Determining the Width

For panel-mounted applications, simply measure the distance between the two panel channels that the mounting brackets will be on. This is the minimum required width. You may order up to an additional 12" of width to overhang each non-corner channel and overlap the adjacent panel (60" applications can support a 15" overhang). The furniture system determines the appropriate mounting bracket to order.

For wall-mount applications, brackets should be installed into wall studs.

For freestanding applications, simply make sure the dimensions of the worktools fit in the available space on the worksurface.



Determining Available Space

The worktools to be mounted cannot exceed the space available on the Slatwall tile or WorkFlo Rail you are ordering. Product dimensions are given with each product description on the following pages.



For Slatwall — The combined heights and widths of the worktools cannot exceed the dimensions of the tile. Slatwall tiles require a minimum of 13" of vertical space between the worksurface and any shelves or bins.

For WorkFlo® Rail — Available rail space is less than overall rail width. The combined product widths cannot exceed the width of the rail, less 3" for the mounting brackets in corner and straight rail applications.

Selecting Worktools

Not all worktools are available for each support system. A section for each of the support systems follows, including a list of the worktools that are compatible with each.




Organizational Worktool Colors

Plastic		Painted Metal	
Amber	9213	Black	835
Black	835	Champagne	5101
Fern	9214	Pewter	5052
Frost	9212		
Grasshopper	6284		
Rain	9216		
Shade	9215		
Sunflower	6283		
Tomato	6282		

Please refer to pg. 82 and the Details Color Card brochure (D6879) for color options. Chain sets* (D12US) are available for actual color and texture reference. Individual samples are also available.

* Note: Container opaques are *not* included.



About Dimensions

Width: Distance from left to right
 Height: Distance from top to bottom
 Depth: Distance from front to back

Some worktools require the specification of both plastic and painted metal finishes.



Another service from Details

Details can put together customized worksheets like this to help end-users select the products that best suit their individualized needs. Contact a Dealer or a Details Market Manager for help.

Workstation Order Form



Please review and select those products that best meet your needs.

You can select up to ___ points.

User Name _____

If you have any questions, please call








Department _____

Phone # _____ Ext. _____

Please print clearly and return to

Date _____ Total Points _____

I have measured my workstation for product fit. yes

Product	Description	Width	Points	Qty.	Total
 Binder Holder WBHR W5½ x H11½ x D9½	Stores up to 5" of binders, or manuals. Mounts either vertically or horizontally.	5.125"	XX	___	___
 Letter Tray WLTR W10 x H2½ x D12½	Ideal for sorting papers and files. Accommodates letter, legal and A4 filing.	10"	XX	___	___
 PaperFlo® Manager 11" WRPF11 W11 x H10 x D14½	Open filing system keeps folders and documents close at hand. Holds letter and legal-size documents.	11"	XX	___	___
 Telephone Caddy WTC W9 x H10½ x D3½	Keeps phone within easy reach, off the worksurface. Open design for easy dialing. Compatible with most phones.	9"	XX	___	___
 Personal Shelf WPS13S W13½ x D8½	Keeps your work area. Provides plenty of space to personalize your work area.	13.5"	XX	___	___
 Shallow Dish WSD W5½ x H2½ x D6½	Flat design with raised lip keeps items in place. Great for daily business tools.	5.625"	XX	___	___
 In/Out Document Tray WDT14 W14½ x H4½ x D12½	Two trays offset for easy viewing and access from top or sides.	14.375"	XX	___	___


TOTAL INCHES _____

TOTAL POINTS _____

■ SLATWALL STRAIGHT APPLICATION

Specify:

- 1 Slatwall tile
- 1 pair of Slatwall mounting brackets that correspond to your furniture system (includes left and right bracket)



■ FREESTANDING SLATWALL STANCHIONS

- Clamp on worksurfaces/materials ½" to 3" thick
- Positions top of Slatwall 15" above mounting surface; this is a fixed height
- Uses only a 3" footprint on the worksurface
- Ideal solution for use on freestanding tables in learning environments, team areas, etc.
- Worksurface/table must be able to support 60 lbs.
- Use any standard length Slatwall tile and add Worktools
- Specify stanchions and Slatwall tiles separately
- Slatwall can overhang stanchions by 12" for tiles up to 48" wide and 15" for tiles up to 60" wide
- Rubber feet under stanchions ensure a tight fit without marring worksurface

Specifying Hints

- Requires a minimum work-surface depth of 18" for stability
- Not applicable on glass surfaces
- Corner application not available
- 2" clearance required under worksurface to accommodate C-clamp



01S1189

WFCS

3.50 lbs.

W3½ x H16 x D3

Black, Champagne, Pewter



■ CONTEXT® SLATWALL STANCHIONS

- Allow use of Slatwall tile and worktools on Steelcase Context® furniture
- Order Slatwall tile separately
- Slatwall bottom edge rests 3.5" above worksurface
- Slatwall tile is 16" high when mounted, thus extends 4" above Context accessory screen
- Can also be used with Metro Template desk system



98S0311

WBSXS


3 lbs.

W2 x H16 x D4½

Black, Champagne, Pewter

Specifying Hints

- Tile must be 10" shorter than core unit if utilizing Context columns to support overhead bins, shelves, etc.



SLATWALL TILES

		Weight
30" wide	WS30	6 lbs.
36" wide	WS36	7 lbs.
42" wide	WS42	8 lbs.
45" wide	WS45	9 lbs.
48" wide	WS48	10 lbs.
60" wide	WS60	14 lbs.

PANEL MOUNT BRACKETS (pair)

Steelcase

Answer® / Kick / TechWall	WSWANS	2 lbs.
Avenir®	WSWUSA	2 lbs.
Series 9000® / Valencia®	WSWUSA	2 lbs.
Steelcase I-Line	WSWSU	2 lbs.

Steelcase 42" H Panels

Answer® / Kick	WSW42AN	2 lbs.
Avenir®	WSW42AV	2 lbs.
Series 9000®	WSW42S9	2 lbs.

Note: 42" H Slatwall Brackets will not work with transaction tops.

Note: For Steelcase Segment, and Post and Beam, contact Custom Solutions.

AllSteel

8000	WSWUSA	2 lbs.
------	--------	--------

American Seating

Framework	WSWUSA	2 lbs.
-----------	--------	--------

Gunlocke

	WSWET	2 lbs.
--	-------	--------

Haworth

Places / Unigroup	WSWUSA	2 lbs.
-------------------	--------	--------

Herman Miller

Action Office	WSWA0	2 lbs.
A02 / A03	WSWUSA	2 lbs.
Ethospace	WSWET	2 lbs.

Hon

Consensus / Terrace	WSWUSA	2 lbs.
---------------------	--------	--------

Kimball

Cetra	WSWUSA	2 lbs.
-------	--------	--------

KI

System 3000	WSWUSA	2 lbs.
-------------	--------	--------

Knoll

Equity / Morrison / Rugby	WSWUSA	2 lbs.
---------------------------	--------	--------

La-Z-Boy Contract

	WSWUSA	2 lbs.
--	--------	--------

Panel Concepts

	WSWUSA	2 lbs.
--	--------	--------

Precision

	WSWUSA	2 lbs.
--	--------	--------

Smed

	WSWUSA	2 lbs.
--	--------	--------

Teknion

TOS / Leverage	WSWUSA	2 lbs.
----------------	--------	--------

Trendway

	WSWUSA	2 lbs.
--	--------	--------

Unicore

	WSWUSA	2 lbs.
--	--------	--------

Xception

	WSWUSA	2 lbs.
--	--------	--------

WALL MOUNT BRACKETS (pair)

Wall Mount	WSWM	2 lbs.
------------	------	--------

Note: Wall Mount to be installed in a wood stud

W as ordered x H12 x D1½

Supports maximum of 60 lbs.

Slatwall Tiles: Black, Champagne, Pewter

Slatwall Mounting Brackets: Black, Champagne, Pewter




BINDER HOLDER

- 5"- wide holder supports binders and other reference materials
- Mounts in tall orientation for most materials or short orientation for large binders
- Open sides provide easy viewing and identification of contents
- Holds up to 4" of materials and weights up to 10 lbs.

Specifying Hints

- Requires 9½" clearance under binder bins




01S0171

WBHS

1.20 lbs.

W4¾ x H11¾ x D9¾

Amber, Black, Fern, Frost, Rain, Shade



HANGING BRACKETS

- Solid, four-stepped brackets display hanging files
- Keep work visible, yet organized
- Support file folders, Workboards, Office in a File, or any product that fits into a hanging file drawer
- Support letter- and legal-size files
- Holds up to 20 lbs. (5 lbs. per step)

Specifying Hints

- Requires 6" clearance from top step to access files under binder bins
- Requires 9" clearance from bottom step to top of work-surface to allow files to hang freely




98S0366

WHB

1 lb.

W1½ x H1¼ x D9¾

Amber, Black, Fern, Frost, Rain, Shade




LETTER TRAY

- 2½"-high stackable trays
- Ideal for sorting files or projects
- Accommodates letter, legal and A4 filing
- Holds up to 7 lbs. of material per shelf on Slatwall

Specifying Hints

- Trays do not interlock when installed on Slatwall



98S0362

WLTS

1.40 lbs.

W10 x H2½ x D12½


Amber, Black, Fern, Frost, Rain, Shade



PAPERFLO® MANAGER

- Three-slotted, sloping unit holds paper and files
- Sturdy base with non-handed wire dividers provide easy access and visibility
- Ideal for sorting mail or managing multiple projects
- Includes reusable identification tags
- Expandable from letter to legal-size filing (extended depth is 17¼")
- Holds up to 15 lbs.

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter



98S0363

WPFS

6 lbs.

W11 x H10 x D14¾

Amber, Black, Fern, Frost, Rain, Shade




UNIVERSAL SHELF

- Sloped shelves for storing 2¾" of files and reference materials
- Order multiples for dense paper management
- Use vertically for letter-size materials
- Use horizontally for legal-size materials
- Holds up to 7 lbs. per shelf

Specifying Hints

- Shelves do not interlock when installed on Slatwall



98S0361

WUS - Single Pack

0.50 lbs.

W11 x H10 x D14¾

WUS3 - Three Pack

1.50 lbs.

W11 x H10 x D14¾

Amber, Black, Fern, Frost, Rain, Shade



UTILITY HOOK

- Utility hook for use on Slatwall
- For office-related hang-ups



01S0099

WHOOK

.25 lbs.

W3½ x H2 x D1¼

Black, Champagne, Pewter



Slatwall

■ SIDE ACCESS FOLDER

- Commercial-grade fabric folder functions like mini-briefcase
- Roomy interior holds letter-size documents and hanging folders
- Zipper keeps materials secure
- Integrated steel hook for use on Slatwall or in file drawer
- Holds up to 2½" of materials
- Fabric is water- and stain-resistant
- Two-year warranty



98S0364

WSAF

1 lb.

W2½ x H10 x D12

Black



■ WORKBOARD

- Sturdy, portable writing surface and clipboard
- Clip holds up to ½" of letter-size documents
- Mounts on Slatwall and hangs on Hanging Brackets and inside pedestals




98S0353

WWB

1 lb.

W12¾ x H10½ x D1

Amber, Black, Fern, Frost, Rain, Shade



■ TELEPHONE CADDY

- Places phone within easy reach and off desktop
- Optimal angle for reading numbers and dialing
- Includes vertical channel for managing telephone cable
- Compatible with most phones
- Secure the hand set by converting phone to wall-mount use




01S1160

WTCS

6 lbs.

W8 x H11 x D2

Black, Champagne, Pewter



■ DISKETTE/NOTE HOLDER

- Zigzag design offers four ¼" dividers
- Holds diskettes, notes, messages, and notepads

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter



98S0357

WDNS

1 lb.

W6 x H3½ x D6¾

Amber, Black, Fern, Frost, Rain, Shade



■ PERSONAL SHELF

- Handy storage/display for personal items and office tools
- Raised front edge helps prevent items from falling off




98S0351

WSPS

3 lbs.

W13¾ x D7½

Black, Champagne, Pewter



■ DOUBLE SQUARE DISH

- Two 2½" square sections
- Keeps small, frequently used office tools within easy reach

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




98S0358

WSQS

1 lb.

W6¾ x H3¼ x D4¾

Amber, Black, Fern, Frost, Rain, Shade



■ **MARKERBOARD**

- Dry-erase surface
- Ideal for jotting down notes and reminders
- Integrated holder for dry-erase markers (markers not included)




98S0354

WMB

1.75 lbs.

W17 $\frac{3}{4}$ x H11 $\frac{1}{2}$ x D1 $\frac{1}{2}$

Aluminum Frame



■ **OFFICE IN A FILE**

- Portable storage file with seven compartments to hold small office supplies
- Includes translucent cover for safe traveling
- Includes built-in tape dispenser
- Smooth cover doubles as handy writing surface
- Mobile, more space-efficient and less expensive than center drawer
- Stores nicely in pedestal




98S0355

WOFS

1.50 lbs.

W12 $\frac{3}{4}$ x H1 $\frac{3}{8}$ x D9 $\frac{5}{8}$

Amber, Black, Fern, Frost, Rain, Shade



■ **PEN/PENCIL CUP**

- Sturdy 2 $\frac{1}{4}$ "-diameter cup
- Place in convenient location to prevent twisting and reaching for pens and pencils

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




98S0356

WPCC

1 lb.

W3 $\frac{3}{8}$ x H3 $\frac{1}{2}$ x D5 $\frac{1}{4}$

Amber, Black, Fern, Frost, Rain, Shade



■ **SHALLOW DISH**

- Flat design with a circular raised lip
- Safely holds beverages, rubber bands, push pins and more
- Keeps office supplies within easy reach

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




01S0172

WSDS

1 lb.

W5 $\frac{5}{8}$ x H2 $\frac{1}{4}$ x D6 $\frac{3}{4}$

Amber, Black, Fern, Frost, Rain, Shade



■ **TACKSTRIP**

- Sleek, slim tackable surface
- Ideal for posting reminders, photos, etc.
- Self-filling surface reduces unsightly holes from frequent use



98S0352

WTBS

0.50 lb.

W15 x H3 $\frac{1}{8}$ x D9 $\frac{5}{8}$

Black



■ **MEDIA HOLDER**

- Handy storage off the worksurface for DVDs, CDs, disks, VHS tapes and note pads
- Raised front edge helps keep items from moving
- Metal to metal attachment




02-0001872

WMEDIA

1 lb.

W5 $\frac{1}{2}$ x H3 x D5

Black, Champagne, Pewter



Galilei™ on Slatwall — Laptop Support



03-0000862

■ GALILEI MOUNTING BRACKETS*

KBRW, pair	Wall Mount Bracket*
KBR1, pair	Systems brackets on WorkFlo Rail, Straight Application
KBRC, pair	Systems brackets on WorkFlo Rail, Corner Application
KBRS, pair	Stanchion brackets, 24"H Riser only

Black, Champagne, Pewter
*Black

* Order WorkFlo Rail, WorkFlo brackets and Freestanding Slatwall Stanchions separately.

* Wall Mount must be installed in a wood stud.



■ ACTIVE™ SHELF

- For short term (< 2 hrs/day) computing on laptop without external keyboards or screens
- Eliminates need for a worksurface for computing
- Use in either seated or standing position
- Anti-dislodgement tabs prevent accidental shelf falls
- Allows adequate room and stability for keying and mousing
- Translucent cover hides and organizes cables, yet provides easy access and feed through
- Holds weights of up to 20 lbs.




0150081

KLAS

4.8 lbs.

W18 x H2½ x D20

Champagne, Pewter accents in Frost



Specifying Hints

- Mounts on any Slatwall, although the 36"H or 48"H Riser™ is recommended for active laptop computing
- No installation; user adjustable

■ PASSIVE™ SHELF

- For long term (> 2 hrs/day) intense computing on laptop with external keyboard and mouse, and possibly a separate flatscreen
- For use in seated position
- Frees up worksurface; organizes techno-clutter
- Anti-dislodgement tabs prevent accidental shelf falls
- Allows easy screen viewing and access to drives
- Translucent cover hides and organizes cables, yet provides easy access and feed through
- Holds weights up to 20 lbs.




0250081

KLPS

2.9 lbs.

W14½ x H2½ x D14

Champagne, Pewter, accents in Frost



Specifying Hints

- Mounts on Riser or any Slatwall over a worksurface
- No installation; user adjustable

■ RISER™

- Elevates technology off the worksurface
- WorkFlo® Rail attachment provides strength and space for other worktools.
- Available for corner and straight applications
- End caps provide a streamlined, pleasing appearance



0150089

KP48

20 lbs.

W24x H48 x D1

KP36

15 lbs.

W24 x H36 x D1

KP24


10 lbs.

W24 x H24 x D1

Black, Champagne, Pewter



Installation required



NOTE: If you already have Slatwall at or just above worksurface height, you may not need a Riser.



■ PERIPHERAL SHELF

- Frees up worksurface; organizes techno-clutter
- When used horizontally, two surfaces provide housing for peripherals
- When used vertically, translucent shield provides “screening” security for peripherals
- Holds weights of up to 10 lbs.

Specifying Hints


- Mounts on Riser or any Slatwall
- No installation; user adjustable



01S0095



01S0096



KPS

1.6 lbs.

W9 x H2¼ x D7½

Champagne, Pewter accents in Frost

■ MINI SHELF

- Organizes small personal technology items
- Indents at back of shelf allow mini cable to pass through
- Holds a maximum of 5 lbs.

Specifying Hints

- Mounts on Riser or any Slatwall
- No installation; user adjustable




01S1162

KMINI

.5 lbs.

W8 x D10 x H1½

Amber, Black, Fern, Frost, Rain, Shade



All Galilei™ components also work with existing Slatwall skins and tiles.

Consider the following when selecting a laptop shelf:

- Number of hours spent on your laptop each day
- Whether you use an external or laptop keyboard
- Whether you use a traditional PC monitor, flatscreen monitor, or laptop screen

Please visit www.details-worktools.com to determine if the Galilei Active or Passive Shelf is better for you.



SpecTip

■ USB HUB

- Easily positioned access to a 4-port USB Hub
- Riser or Slatwall interface for convenient user-positioned attachment

Specifying Hints

- Mounts on Riser or any Slatwall
- No installation; user adjustable



01S0094

KUSB1

.25 lbs.

W3½ x H4 x D1

Frost




■ TECH MODULE

- Convenient access to power
- Riser or Slatwall interface for convenient, user-positioned attachment
- Can be hung in vertical or horizontal orientation

Specifying Hints

- Mounts on Riser or any Slatwall
- No installation; user adjustable



01S0100

KMAC

6 outlet, 1.5 lbs.

W1¾ x H15 x D1½

Pewter accents in Black



■ CABLE SPOOL

- Accommodates two wires separately - one on each side; expands and contracts to work with various diameters and length of wires
- Easily winds cables into portable spool

Specifying Hints

- Mounts on Riser or any Slatwall
- Easy to field install; user adjustable



01S1156

KCSPD

0.2 lbs.

D3½ x 1½

Frost



■ CABLE RINGS

- Allows many positions for managing technology cables on any Riser or Slatwall
- Multiple rings organize proliferating cables

Specifying Hints

- Mount on Riser or any Slatwall
- No installation; user adjustable



01S0099

KCR

4-pack .25 lbs.

W1½ x H1 x D1

Frost



■ JULES™ KEYBOARD PLATFORM-SLATWALL MOUNTED

- For use with a Galilei Riser™ to replace a worksurface for an external keyboard
- Recommended with a laptop on a Passive™ shelf using the laptop as a CPU and screen, at correct viewing height
- Allows for same plane keying and right or left-handed mousing
- Ideal for multi-user workstations for easy positioning




01S1174

KJULES

6.4 lbs.

W19 x H4 x D21

Champagne, Pewter



User Requirements

- Allows for use in seated or standing position - 48" Riser
- Mousing surface is non-handed and retractable when not in use
- Requires 20" wide knee space

■ LAPTOP SLATWALL CABLE

- Provides quick security of laptop to any Riser or Slatwall with end caps
- Convenient Slatwall lock interface
- Braided steel cable with a key lock
- Uses laptop's built-in security slot

Specifying Hints

- No installation; user adjustable
- Mounts on Riser or any Slatwall



01S0098

KLSC

.2 lbs.

18L

Black cable with Pewter and Frost accents



■ LAPTOP SECURITY CABLE

- Anchors laptop computers to workstation components to deter theft
- Braided steel cable with a key lock
- Coated cable limits abrasion of furniture
- Uses laptop's built-in security slot
- Cable wraps around immovable object and locks into computer



01S0196

TCSC

2 lbs.

5 feet x 3/16 diameter

Black



■ LAPTOP DRAWER

- Ball-bearing glides lock in open position for secure use
- Cable management inset located in back
- 2¼" inside height dimension
- 17¾" inside depth dimension




01S0195

CSLD

1 lb.

W16¼ x H3 x D19½


Black



WORKFLO® RAIL STRAIGHT APPLICATION

Specify:


- 1 straight rail
- 1 pair of mounting brackets that correspond to your furniture system (includes left and right bracket)



WORKFLO® RAIL CORNER APPLICATION

Specify:

- 2 corner rails
- 1 pair of mounting brackets that correspond to your furniture system (includes left and right bracket)
- 1 corner bracket (joint used to connect two rails in a corner)



RAIL WIDTH



USABLE
RAIL SPACE

Because the WorkFlo® Rail mounting brackets require some rail space, plan your product selections based on the following specifications for available rail space.

Rail Width	Available Rail Space
24"	21"
30"	27"
35"	32"
36"	33"
42"	39"
45"	42"
48"	45"
60"	57"

RAILS

	Straight		Corner	
		Weight		Weight
24" wide	WRS24	3.06 lbs	—	—
30" wide	WRS30	3.81 lbs	WRC30	3.45 lbs
35" wide	WRS35	4.40 lbs	—	—
36" wide	WRS36	4.50 lbs	WRC36	4.11 lbs
42" wide	WRS42	5.16 lbs	WRC42	4.85 lbs
45" wide	WRS45	5.45 lbs	WRC45	5.17 lbs
48" wide	WRS48	5.85 lbs	—	—
60" wide	WRS60	7.12 lbs	—	—

PANEL MOUNT BRACKETS (pair)

Steelcase®

Answer® / Kick™ / TechWall	WBSU1	.36lbs	WBCU1	.93lbs
Avenir®	WBSU1	.36lbs	WBCU1	.93lbs
Series 9000® / Valencia®	WBSU1	.36lbs	WBCU1	.93lbs
Steelcase I-Line	WBSSU	.36lbs	—	—

Note: For Steelcase Segment, and Post and Beam, contact Custom Solutions.

AllSteel

8000	WBSU1	.36lbs	WBCU1	.93lbs
------	-------	--------	-------	--------

American Seating

Framework	WBSU1	.36lbs	WBCU1	.93lbs
-----------	-------	--------	-------	--------

Global Evolve

	WBSU1	.36lbs	—	—
--	-------	--------	---	---

Gunlocke

	WBSSET	.36lbs	—	—
--	--------	--------	---	---

Haworth

Places / UniGroup	WBSU1	.36lbs	WBCU1	.93lbs
-------------------	-------	--------	-------	--------

Herman Miller

Action Office	WBSA0	.36lbs	—	—
Ethospace	WBSSET	.36lbs	—	—

Hon

Consensys / Terrace	WBSU1	.36lbs	WBCU1	.93lbs
---------------------	-------	--------	-------	--------

Kimball

Cetra	WBSU1	.36lbs	WBCU1	.93lbs
-------	-------	--------	-------	--------

KI

System 3000	WBSU1	.36lbs	WBCU1	.93lbs
-------------	-------	--------	-------	--------

Knoll

Equity / Morrison / Rugby	WBSU1	.36lbs	WBCU1	.93lbs
---------------------------	-------	--------	-------	--------

La-Z-Boy Contract

	WBSU1	.36lbs	WBCU1	.93lbs
--	-------	--------	-------	--------

Panel Concepts

	WBSU1	.36lbs	WBCU1	.93lbs
--	-------	--------	-------	--------

Precision

	WBSU1	.36lbs	WBCU1	.93lbs
--	-------	--------	-------	--------

Smed

	WBSU1	.36lbs	WBCU1	.93lbs
--	-------	--------	-------	--------

Teknion

TOS / Leverage	WBSU1	.36lbs	WBCU1	.93lbs
----------------	-------	--------	-------	--------

Trendway

	WBSU1	.36lbs	WBCU1	.93lbs
--	-------	--------	-------	--------

Unicore

	WBSU1	.36lbs	—	—
--	-------	--------	---	---

Xception

	WBSU1	.36lbs	WBCU1	.93lbs
--	-------	--------	-------	--------

WALL MOUNT BRACKETS (pair)

Wall Mount	WBSW	.36lbs	—	—
------------	------	--------	---	---

Note: Wall Mount to be installed in a wood stud

Supports maximum of 100 lbs.

Black, Champagne, Pewter

■ FREESTANDING RAIL STANCHIONS

- Clamp on worksurfaces/ materials ½" to 3" thick
- Worksurface/table must be able to support 100 lbs.
- Position top of Rail 9" above mounting surface; this is a fixed height
- Uses only a 3" footprint on the surface
- Ideal solution for use on freestanding tables in learning environments, team areas, etc.
- Use any standard length Rail
- Specify WorkFlo® Rail and worktools separately
- Rubber feet under stanchions ensure a tight fit without marking surface



98S0313

WFCR

2.75 lbs.

W2 x H9¼ x D3

Black, Champagne, Pewter



Specifying Hints

- Requires a minimum worksurface depth of 18" for stability
- Not applicable on glass surfaces
- Corner application not available
- 2" clearance required under worksurface to accommodate C-clamp

■ CONTEXT® RAIL STANCHIONS

- Allow use of worktools on Steelcase Context® furniture
- Mount to Context utility rail
- Top of Rail mounts 8½" above top of worksurface
- Order Rails separately
- Can also be used with Metro Template desk system




98S0312

WBSX

3 lbs.

W2 x H9 x D3¾

Black, Champagne, Pewter




Specifying Hints

- When used with Context overhead cabinets, Rails should be at least 10" shorter than cabinet width

■ INTERFACE BRACKET

- Enables conversion of select Slatwall Worktools for use on Rail (see product descriptions)
- Automatically ships with all Rail worktools or may be ordered separately
- 4" bracket for use with Binder Holder and other smaller Slatwall products
- 10" bracket for use with Letter Tray, Office in a File and other larger Slatwall products



WB4, 4" bracket

1 lb.

Black, Champagne, Pewter

WB10, 10" bracket

1 lb.

Black, Champagne, Pewter

■ GALILEI™ INTERFACE BRACKET

- Enables conversion of Galilei Active™ Shelf, Passive™ Shelf, or Mini Shelf for use on Workflo® Rail




01S1163

KWB10, 11" bracket

1 lb.

Black, Champagne, Pewter



Installation Instructions

- 1 - Remove end cap from WorkFlo Rail and slide Galilei Interface Bracket onto WorkFlo Rail.
- 2 - Attach end cap. Hang Galilei Shelf on Bracket.



SpecTip



BINDER HOLDER

- 5"- wide holder supports binders and other reference materials
- Mounts in tall orientation for most materials or short orientation for large binders
- Open sides provide easy viewing and identification of contents
- Holds up to 4" or 10 lbs. of materials
- Ships with 4" Interface Bracket

Specifying Hints

- Requires minimum of 9½" clearance under binder bins

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter



01S0174

WBHR

1.20 lbs.

W4¾ x H11¾ x D9½

Amber, Black, Fern, Frost, Rain, Shade



IN / OUT DOCUMENT TRAY

- Two tiers for sorting documents
- Trays are offset for easy viewing and access
- Curved lip on sides keeps materials in place




98S0348

WDT14

7 lbs.

W14¾ x H½ x D12½

Black, Champagne, Pewter



COMPUTER SHELF

- Moves equipment above or below worksurface
- Holds most 14" monitors, printers, fax machines
- Supports up to 60 lbs.




98S0344

WMS18S

9 lbs.

W18 x D18
(W18 x D16 usable surface)

Black, Champagne, Pewter



PAPERFLO® MANAGER

- Three-slotted, sloping unit holds paper and files
- Sturdy base with non-handed wire dividers provide easy access and visibility
- Ideal for sorting mail or managing multiple projects
- Includes reusable identification tags
- Expandable from letter-size to legal-size filing (extended depth is 17½")
- Holds up to 15 lbs.

Specifying Hints

- Requires 11" between work surface and binder bins to access folders and papers

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter



98S0349

WRPF11

6 lbs.

W11 x H10 x D14¾

Amber, Black, Fern, Frost, Rain, Shade



LETTER TRAY

- 2½"-high stackable trays
- Ideal for sorting files or projects
- Accommodates letter, legal and A4 filing
- Sturdy, interlocking construction allows stacking up to four high
- Holds a total of 7 lbs. of material when stacked on WorkFlo® Rail.
- Ships with 10" Interface Bracket

Specifying Hints

- When stacking multiple Letter Trays on WorkFlo® Rails, only one Interface Bracket is needed. Order one WLTR (includes bracket) and the balance as WLTS — this is more cost-effective

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




98S0347

WLTR

1.40 lbs.

W10 x H2½ x D12½

Amber, Black, Fern, Frost, Rain, Shade



■ EQUIPMENT SUPPORTS

- Pair of supports holds printer, fax machine, processor or other technology equipment
- Width expands to support equipment used
- Depth expands from 12" to 18"
- Front lip provides secure fit
- Holds up to 60 lbs.
- Can be mounted above or below worksurface




98S0342

WES

7 lbs.

W (varies w/equipment)
x H3¼ x D12-18

Black, Champagne, Pewter



■ CORNER COMPUTER SHELF

- Moves monitor off desktop and makes use of corner space
- Holds up to 17" monitor with room to spare
- Generous cut-out at back helps manage cables
- Holds up to 60 lbs.
- Another alternative to move monitor to a comfortable viewing height
- Can be mounted above or below worksurface



98S0343

WCS30S

13 lbs.

W33x x D26 (48" front)

Black, Champagne, Pewter



Specifying Hints

- Requires corner rail application (see p.21)
- Not applicable on Context® furniture system

■ TELEPHONE CADDY

- Places phone within easy reach and off desktop
- Optimal angle for reading numbers and dialing
- Includes vertical channel for managing telephone cable
- Compatible with most phones
- Secure the handset by converting phone to wall-mount use




01S11S8

WTC

6 lbs.

W8 x H11 x D2

Black, Champagne, Pewter



■ SHALLOW DISH

- Flat design with a circular raised lip
- Safely holds beverages, rubber bands, push pins and more
- Keeps office supplies within easy reach




01S0176

WSD

1 lb.

W5½ x H2¼ x D6¾

Amber, Black, Fern, Frost, Rain, Shade



■ DISKETTE / NOTE HOLDER

- Zigzag design offers four ¼" dividers
- Holds diskettes, notes, messages and notepads



98S0336

WDN

1 lb.

W6 x H3½ x D6¾

Amber, Black, Fern, Frost, Rain, Shade



■ **DOUBLE SQUARE DISH**

- Two 2½" square sections
- Keeps small, frequently used office tools within easy reach

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




01S0175

WSQ

1 lb.

W6⅝ x H3¼ x D4⅜


Amber, Black, Fern, Frost, Rain, Shade



■ **OFFICE IN A FILE**

- Portable storage file with seven compartments to hold small office supplies
- Includes translucent cover for safe traveling
- Includes built-in tape dispenser
- Smooth cover doubles as handy writing surface
- Ships with 10" interface bracket
- Mobile, more space efficient and less expensive than center drawer

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




98S0337

WOFR

2 lbs.

W12¼ x H1⅞ x D9⅝

Amber, Black, Fern, Frost, Rain, Shade



■ **PEN / PENCIL CUP**

- Sturdy 2¼"-diameter cup
- Place in convenient location to prevent twisting and reaching for pens and pencils

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




98S0338

WPC

1 lb.

W3⅝ x H3½ x D5¼

Amber, Black, Fern, Frost, Rain, Shade



■ **PERSONAL SHELF**

- Handy storage and display for personal items and office tools
- Curved outer lip keeps items safely in place




98S0334

WPS13S

3 lbs.

W13½ x D7⅞

Black, Champagne, Pewter



■ **MEDIA HOLDER**

- Handy storage off the worksurface for DVDs, CDs, disks, VHS tapes and note pads
- Raised front edge helps keep items from moving
- Metal to metal attachment
- Ships with 4" interface bracket

NOTE: Metal attachment bracket must be specified in Black, Champagne or Pewter




02-0001871

WMEDIAR

1 lb.

W5⅝ x H3 x D5

Black, Champagne, Pewter



Freestanding - Containers




03-0001025

Details Containers fit perfectly inside the new Steelcase Universal Storage Towers and Bins.

The Project Containers help categorize information on active, on-going projects.

The File Containers are designed for long-term storage of large collections of information.

As partners in clutter reduction and organization they categorize information on active, on-going projects and store long-term archived information.



PROJECT CONTAINER

- Holds letter size Pendaflex® folders on inside rails
- Comes with positionable aluminum clips that allow the Project Container to hang on Slatwall in a parallel or perpendicular orientation
- Fits on Details Simple Trolley for under worksurface storage with easy access
- Also fits in Steelcase Universal storage system products, including towers, bookcases, binder bins and open shelves
- Built in ledge on Project Container acts as handles and allows easy transport
- Ships with two stick-on business card size label holders for easy content identification
- Holds up to 12 lbs.



03-0000850

WPROJ

2 lbs.

W13 $\frac{1}{8}$ x H10 $\frac{5}{16}$ x D4 $\frac{1}{2}$

Frost, Rain (Translucent)
Grasshopper, Sunflower,
Tomato (Opaque)



FILE CONTAINER

- Holds letter size Pendaflex folders on inside rails
- Fits on Details Simple Trolley for under worksurface storage with easy access
- Also fits in Steelcase Universal storage system products, including towers, bookcases, binder bins and open shelves
- Built in ledge on File Container acts as handles and allows easy transport
- Ships with two stick-on business card size label holders for easy content identification
- Holds up to 35 lbs.




03-0000851

WFILE

5 lbs.

W13 $\frac{1}{8}$ x H10 $\frac{5}{16}$ x D13 $\frac{1}{8}$

Frost, Rain (Translucent),
Grasshopper, Sunflower,
Tomato (Opaque)



SIMPLE TROLLEY

- Sized to stack up to three File Containers high
- Designed to be used to store Details File and Project Containers
- Not designed to transport File Containers within a building (in workstation only)
- Tabs help locate and support Project Containers
- Does not support use as a seat or step
- Holds up to 70 lbs.




03-0000852

WTROL2

9 lbs.

W14 x H2 x D14

Black



■ DETAILS "PELICAN" PENCIL DRAWER

- Dual-purpose drawer combines center drawer capabilities and file storage
- Includes file bars for up to 10" of letter or legal filing
- Can also be used to store personal items
- Low profile front for plenty of knee space
- Storage bin is 10" high
- Optional lid available for added security



98S0317

WDPD-L

22 lbs.

Locking

W19 x H2 x D23

Bin: H10

Black

WDPD-NL

22 lbs.

Non-Locking

W19 x H2 x D23

Bin: H10

Black

WDPL


3 lbs.

Optional security lid

Black



Installation required



Specifying Hints


- Requires 24" unobstructed worksurface depth and a 20" width clearance
- For locks to be keyed alike to other Steelcase locks, specify a non-locking Pelican Drawer and order locking plugs from Steelcase
- Field installation of lock barrel required if keying alike

Ideal for training tables.



■ PELICAN INSTALLATION BAR

- Optional bar makes installations a snap
- Holds drawer in place for easy drilling and fastening
- Ideal for dealer installation crews
- Reusable



WIB

5 lbs.

W21½ x H7 x D17

Installation bar

Order one per installation.



■ BINDER HOLDER

- 5"-wide holder supports binders and other reference materials
- Can be used in tall orientation for most materials or wide orientation for large binders
- Open sides provide easy viewing and identification of contents
- Holds up to 4" of materials




98S0330

WBHS

1.20 lbs.

W4¾ x H11½ x D9½

Amber, Black, Fern, Frost, Rain, Shade



■ UNIVERSAL SHELF

- Sloped shelves for storing 2¼" of files and reference materials
- Order multiples for dense paper management
- Use vertically for letter-size materials
- Use horizontally for legal-size materials
- Holds up to 7 lbs. per shelf



98S0361

WUS, Single Pack

0.50 lbs.

W11 x H10 x D14¾

WUS3, Three Pack

1.50 lbs.

W11 x H10 x D14¾

Amber, Black, Fern, Frost, Rain, Shade




Specifying Hints

- Minimum of three shelves required for freestanding applications to provide stable, interlocking support

Freestanding

IN / OUT DOCUMENT TRAY

- Two tiers for sorting documents
- Trays are offset for easy viewing and access
- Curved lip on sides keeps materials in place




98S0329

WDT14

7 lbs.

W14 $\frac{3}{8}$ x H $\frac{1}{2}$ x D12 $\frac{1}{2}$

Black, Champagne, Pewter



DISKETTE / NOTE HOLDER

- Zigzag design offers four $\frac{1}{4}$ " dividers
- Holds diskettes, notes, messages, and notepads



98S0357

WDNS

1 lb.

W6 x H3 $\frac{1}{2}$ x D6 $\frac{3}{8}$

Amber, Black, Fern, Frost, Rain, Shade



LETTER TRAY

- 2 $\frac{1}{2}$ "-high stackable trays
- Ideal for sorting files or projects
- Accommodates letter, legal and A4 filing
- Sturdy, interlocking construction allows stacking up to four-high
- Holds up to 7 lbs. of material per shelf when stacked on worksurface




98S0327

WLTS

1.40 lbs.

W10 x H2 $\frac{1}{2}$ x D12 $\frac{1}{2}$

Amber, Black, Fern, Frost, Rain, Shade



SIDE ACCESS FOLDER

- Commercial-grade fabric folder functions like mini-briefcase
- Roomy interior accommodates letter-size documents and hanging folders
- Zipper keeps materials secure
- Integrates steel hook for use on Slatwall or in file drawer
- Holds up to 2 $\frac{1}{2}$ " of materials
- Fabric is water- and stain-resistant
- Two-year warranty




98S0323

WSAF

1 lb.

W2 $\frac{1}{2}$ x H10 x D12

Black



WORK TAGS

- Reusable, wet-erase tags for labeling work
- Clip to Organizational Worktools
- Includes marker
- Available in sets of ten



98S0328

WWT, 10-Pack

1 lb.

W2 $\frac{3}{8}$ x H $\frac{5}{16}$ x D1 $\frac{1}{2}$

Frost



■ **WASTEBASKET**

- Design hugs wall to allow greater foot room
- Four gallon capacity
- Made of recycled materials
- Order in sets for sorting recyclables
- Set of recycling labels free upon request



98S0319

DWBE

5 lbs.


W10 x H15 x D10

Black

DRCY


Set of recycling labels

Be sure to include the recycling labels as part of your order. They do NOT ship unless ordered!



■ **WORKBOARD**

- Sturdy, portable writing surface and clipboard
- Clip holds up to 1/2" of letter-size documents
- Includes label area for easy identification when in a drawer
- Stores nicely in pedestal




98S0326

WWB

1 lb.

W12¾ x H10½ x D1

Amber, Black, Fern, Frost, Rain, Shade



■ **MEDIA HOLDER**

- Handy storage off the worksurface for DVDs, CDs, disks, VHS tapes and note pads
- Raised front edge helps keep items from moving




02-0001872

WMEDIA

1 lb.

W5½ x H3 x D5

Black, Champagne, Pewter



■ **OFFICE IN A FILE**

- Portable storage file with seven compartments to hold small office supplies
- Includes translucent cover for safe traveling
- Includes built-in tape dispenser
- Can be used freestanding or in a drawer like a hanging file
- Smooth cover doubles as handy writing surface
- Mobile, more space efficient and less expensive than center drawer




98S0325

WOFS

1.50 lbs.

W12¾ x H1¾ x D9½

Amber, Black, Fern, Frost, Rain, Shade



■ **FLAT TOP™ HANGER**

- Multi-purpose hanger with curved accessory hook
- One-piece, solid steel construction
- Single rubber sleeve maintains firm grip on any flat surface



98S0322


FTH

1 lb.

W15½ x H7¾ x D3



Black, Champagne





save

Energy



Worker health, workplace productivity and proper lighting are tightly linked. One independent study* concluded that over 60% of computer users list EYESTRAIN as the number one workplace hazard. And another study** proved that task lighting substantially saves average ENERGY COSTS. In short, the right lighting scheme can improve the bottom line. Save energy. Energize people.

*Kensington Group survey

**Carnegie Mellon University study



Too much ambient or

exterior light creates glare.

Here, task lighting creates

proper balance and lets

users position light to the

task at hand.





Product highlights:

• Pisa, Canopy and Underline task lights • Amber worktools – freestanding and Slatwall-based • Flat Panel Monitors supported by Flat Panel Monitor Arms • Jules keyboard platform • Furniture system – Kick® from Turnstone® • Seating – Jersey® from Turnstone®

Ordering Personal Task Lighting

The number-one source of discomfort in the workplace is eyestrain. A common culprit is too much or too little lighting. To determine the best lighting solution, consider these three key criteria:

1. Adjustability Needed

The greater the variety of tasks performed during the day, the greater the adjustability needed in lighting. Personal Task Lighting offers end-users the added control and adjustability to place the right amount of light where you need it, when you need it.

2. Amount of Worksurface Space Available

3. Amount of Light Needed

Combine Details Personal Task Lighting with proper ambient lighting to create a holistic lighting system for the worksetting. How much additional illumination is needed depends primarily on the contrast and/or size of the visual task.

Nature of Visual Task	Footcandles Recommended
High contrast, large size	20 - 50
Medium contrast, small size	50 - 100
Low contrast, very small size	100 - 200

Workstation Design Tips

- Use Details Personal Task Lighting in addition to Underline to deliver the illumination level needed for the tasks being performed.
- Ambient (overhead) light should be uniform, avoiding overly bright areas or dark shadows.
- Monitors should be placed perpendicular to the light source to avoid glare and excessive contrast from background light.
- Details recommends that magnetic ballasts be installed at least 24" away from any electrical equipment which might be affected by magnetic fields.
- It is far more cost-effective and comfortable to use a small, desktop light to provide adequate illumination than to light the entire office at the same level.

Personal Task Lighting Colors	
Chester™, Elsa™, Paloma™ & Lyra®	
Charcoal	5103
Dark Champagne	5104
Pewter	5052
IOS™	
Amber	9213
Charcoal	6288
Fern	9214
Frost	9212
Rain	9216
Shade	9215
Pisa™	
Black	835
Ice Blue	3764
Metallic Green	3762
Metallic Red	3761
Venetian Gold	3763
Underline™	
Dark Champagne	5104
Pewter	5052
Black	835

NOTE: Not all colors are available for all products. See individual product descriptions for color availability.

Please refer to the Details Color Card brochure (D6879) for color options. Chain sets are available for actual color and texture reference.



Underline™

0250071





UNDERBIN. UNDERSHELF. UNDERSTATED.
UNDERLINE™

Underline™



Underbin. Undershelf. Understated. Underline.™



Underline vs. typical T8.
A sizable difference.

Introducing Underline Underbin
Fluorescent Task Light.

So recessive it's progressive.

Ideal for applications where a typical 3'
T8 may have been previously specified.

And ideal for use with the newest
Steelcase bins and shelves.

It's a whole new way to see the light.

Or more accurately, not to see it.




■ UNDERLINE™

- Thin profile, energy efficient T2 fluorescent light
- Superb optical performance and energy efficiency
- Ideally suited for flush mount applications to bottom of bin or shelf
- Uses nearly 25% less energy than a comparable 2' T8 task light and almost 50% less than a 3' T8 task light
- Step dimming from 100% light output to 50% light output lets the end-user adjust the quantity of light to meet individual needs
- 9' Cord
- Energy efficient electronic ballast



02-S0072



Flush mount applications include:

- Universal Curved Front bins and L-Shelf, Display shelf, and Stationary shelf
- Kick™ Wood Common shelf and Ragtop bin
- Pathways® Secant Blade bins and shelves
- Wood bins and shelves

LT2D
Dimming Task Light flush mount

LT2DCHI
Dimming Task Light flush mount with Chicago plug

LT2DNY
Dimming Task Light flush mount for New York

LT2
Task Light flush Mount

LT2CHI
Task Light flush mount with Chicago plug

LT2NY
Task Light flush mount for New York

W22 x H¾ x D4¾
Black, Dark Champagne, Pewter

Recessed mount hardware is also available for those bin and shelf applications that include a recessed cavity to accommodate a task light.

Recessed mount applications include:

- Series 9000® bins and shelves
- Avenir® bins and shelves
- Montage® bins and shelves
- Answer® bins and shelves
- Context® bins and shelves
- Kick™ metal bins and shelves
- Universal bins and full-height shelves

LT2RD
Dimming Task Light recessed

LT2RDCHI
Dimming Task Light recessed with Chicago Plug

LT2R
Task Light recessed

LT2RCHI
Task Light recessed with Chicago Plug

W22 x H¾ x D4¾
Black only for Recessed Mount

Specifying Hints:

Underline™ is ideal for flush mount bin and shelf applications. Flush mount applications are those bins and shelves that do not have a recessed cavity to accommodate a task light. Therefore, the task light must be mounted flush to the bottom of the bin or shelf.

Underline™ Photometric data

Initial horizontal illumination for LT2 (footcandles).

		Worksurface rear			
CL	3"	9"	15"	21"	
3"	47	41	32	20	
9"	70	58	41	25	
15"	68	58	42	25	
21"	42	39	34	23	
27"	20	21	20	16	
		Worksurface front			


WORKSURFACE MOUNTED CANOPY™ LIGHT

For use with 3/4" to 1 1/4" thick worksurfaces

- Proprietary optics provide low glare and broad distribution of light
- Energy-saving 3500K T5 lamps
- Energy-efficient electronic ballast
- Electronic dimming control features sliding switch for continuous-range dimming from 100% to 50% light output
- Slot in back of riser provides wire management
- 9' cord with grounded plug
- Tool-free mounting



01S0190



See Steelcase Systems Specification Guides for color availability and pricing information

Specifying Hints

- Edge profile must not be greater than 1/2" thick to accommodate the C-clamp mechanism
- Clearance between work surface and panel must be at least 5/16"
- Minimum clearance of 2 3/4"H and 2 3/16"W required under work surface
- Cord with circuit breaker is available to meet Chicago code

Worksurface-Mounted Canopy Lights

Electronic Ballast w/ Dimmer Switch	Standard	Chicago Code*
24"W with Dimmer Switch	LCS24KR	LCS24KRC
36"W with Dimmer Switch	LCS36KR	LCS36KRC
48"W with Dimmer Switch	LCS48KR	LCS48KRC

Electronic Ballast	Standard	Chicago Code*
24"W without Dimmer	LCS24K	LCS24KC
36"W without Dimmer	LCS36K	LCS36KC
48"W without Dimmer	LCS48K	LCS48KC

* Chicago cord including circuit breaker

Dimensions, including riser:	Watts	Weight
24W: W24 1/4 x H18 x D7 1/16	14 Watts	10.5 lbs.
36W: W36 1/16 x H18 x D7 1/16	21 Watts	11.8 lbs.
48W: W47 7/8 x H18 x D7 1/16	28 Watts	13.2 lbs.

Orders must be placed through the Steelcase order entry system.

Details Market Managers and Customer Alliance are prepared to provide full support.




SpecTip

PANEL-MOUNTED CANOPY LIGHT

- Proprietary optics provide low glare and broad distribution of light
- Energy-saving 3500K T5 lamps
- Energy-efficient electronic ballast
- Electronic dimming control features sliding switch for continuous-range dimming from 100% to 50% light output
- 9' cord with grounded plug
- Tool-free mounting
- Cord manager clip secures power cord along back of fixture



01S0190



See Steelcase Systems Specification Guides for color availability and pricing information

Specifying Hints

- Rail-mounting riser must be ordered separately for use with Ellipse or WorkFlo® Rail
- Width of light must be equal to or greater than width of panel
- Panel-mounted Canopy lights are standard with brackets that attach to Answer®, Avenir®, Kick™ and Series 9000® panels. You must specify the correct bracket option for use on other systems.
- Bracket must always be installed on panel seams
- Brackets can be flush with ends of light or light can extend past one or both sides
- Cord with circuit breaker is available to meet Chicago code

Panel-Mounted Canopy Lights

For use with Answer, Avenir, Kick and Series 9000 panels (see below for additional mounting options)

Electronic Ballast w/ Dimmer Switch	Standard	Chicago Code*
24"W with Dimmer Switch	LCP24KR	LCP24KRC
36"W with Dimmer Switch	LCP36KR	LCP36KRC
48"W with Dimmer Switch	LCP48KR	LCP48KRC

Electronic Ballast	Standard	Chicago Code*
24"W without Dimmer	LCP24K	LCP24KC
36"W without Dimmer	LCP36K	LCP36KC
48"W without Dimmer	LCP48K	LCP48KC

* Chicago cord including circuit breaker

For use with other systems or applications, specify appropriate model number and select from the following options:

Bracket Options (pair) for:	Specify:
Drywall	"with drywall brackets"
Elective Elements®	"with Elective Elements brackets"
Montage	"with Montage brackets"
Slatwall	"with Slatwall brackets"
Competitive Bracket Options (pair):	Specify:
Haworth® Premise®	"with Haworth Premise brackets"
Herman Miller Action Office®	"with Herman Miller Action Office brackets"
Herman Miller Ethospace®	"with Herman Miller Ethospace brackets"
Knoll System 6 & System Z	"with Knoll System 6 & System Z brackets"

For use with WorkFlo or Ellipse rails, specify also:

Rail-mounting Riser	LCWRIS
---------------------	--------



Dimensions	Watts	Weight
24W: W24 1/4 x D7 1/16	14 Watts	6.1 lbs.
36W: W36 1/16 x D7 1/16	21 Watts	7.4 lbs.
48W: W47 7/8 x D7 1/16	28 Watts	8.8 lbs.
Riser: W6 x H6 1/2 x D1		




■ PATHWAYS® MOUNTED CANOPY™ LIGHT

For use with Pathways® Segment® Frames

- Proprietary optics provide low glare and broad distribution of light
- Energy-saving 3500K T5 lamps
- Energy-efficient electronic ballast
- Electronic dimming control features sliding switch for continuous-range dimming from 100% to 50% light output
- Sleeve adjusts to accommodate variations in worksurface height
- Slot in back of riser provides wire management
- 9' cord with grounded plug
- Tool-free mounting



01S0192



See Steelcase Systems Specification Guides for color availability and pricing information

Specifying Hints

- Brackets on back of riser engage in slotted horizontal rails at 4 1/2" H seam on any Pathways Segment, Quotient, or Addition wall
- Cord with circuit breaker is available to meet Chicago code

Panel-Mounted Canopy Lights

Electronic Ballast w/ Dimmer Switch	Standard	Chicago Code*
24"W with Dimmer Switch	LCG24KR	LCG24KRC
36"W with Dimmer Switch	LCG36KR	LCG36KRC
48"W with Dimmer Switch	LCG48KR	LCG48KRC

Electronic Ballast

24"W without Dimmer	LCG24K	LCG24KC
36"W without Dimmer	LCG36K	LCG36KC
48"W without Dimmer	LCG48K	LCG48KC


* Chicago cord including circuit breaker

Dimensions, including riser:	Watts	Weight
24W: W24 3/4 x H18 x D7 1/16	14 Watts	8.6 lbs.
36W: W36 1/16 x H18 x D7 1/16	21 Watts	10.0 lbs.
48W: W47 7/8 x H18 x D7 1/16	28 Watts	11.3 lbs.


■ CONTEXT® MOUNTED CANOPY LIGHT

For use with Context®

- Proprietary optics provide low glare and broad distribution of light
- Energy-saving 3500K T5 lamps
- Energy-efficient electronic ballast
- Electronic dimming control features sliding switch for continuous-range dimming from 100% to 50% light output
- Slot in back of riser provides wire management
- 9' cord with grounded plug
- Tool-free mounting



01S0193



See Steelcase Systems Specification Guides for color availability and pricing information

Specifying Hints

- Cord with circuit breaker is available to meet Chicago code

Panel-Mounted Canopy Lights

Electronic Ballast w/ Dimmer Switch	Standard	Chicago Code*
24"W with Dimmer Switch	LCX24KR	LCX24KRC
36"W with Dimmer Switch	LCX36KR	LCX36KRC
48"W with Dimmer Switch	LCX48KR	LCX48KRC

Electronic Ballast

24"W without Dimmer	LCX24K	LCX24KC
36"W without Dimmer	LCX36K	LCX36KC
48"W without Dimmer	LCX48K	LCX48KC

* Chicago cord including circuit breaker

Dimensions, including riser:	Watts	Weight
24W: W24 3/4 x H18 x D7 1/16	14 Watts	9.5 lbs.
36W: W36 1/16 x H18 x D7 1/16	21 Watts	10.8 lbs.
48W: W47 7/8 x H18 x D7 1/16	28 Watts	12.2 lbs.

Canopy Photometric data

Initial horizontal illumination for LCP36K (footcandles)

		Worksurface rear				
	CL	6"	12"	18"	24"	30"
6"		121	103	83	60	34
12"		112	97	79	59	37
18"		103	89	74	58	37
24"		71	63	55	46	33
30"		35	32	30	27	21
		Worksurface front				

Orders must be placed through the Steelcase order entry system.

Details Market Managers and Customer Alliance are prepared to provide full support.



Personal Task Lighting

■ CHESTER™ ELECTRONIC BALLAST LIGHT

- Panel-mounted or Freestanding
- Panel-mounted has three movable joints for superior horizontal movement
- Uses a prismatic lens to diffuse light and minimize glare
- High-efficiency electronic ballast
- See chart on pg.43 for adjustability ranges
- Shade can be rotated to change lighting direction
- Black 7' cord
- 13-watt fluorescent lamp
- **Note: Panel mount bracket does not work in corner applications**



Panel-Mounted



Freestanding

98S0303

98S0304

■ LYRA® LIGHT

- Panel-mounted or Freestanding
- Three joints of movement — base, top of arm and shade
- See chart on pg.43 for adjustability ranges
- Black 6' cord
- Available in 9-watt and 13-watt fluorescent models



Panel-Mounted



Freestanding

9620S96

00S0305

Specifying Hints

- Specify opaque or translucent shade when ordering 9-watt model
- 13-watt model has opaque shade only
- **Note: Panel mount bracket does not work in corner applications**


Panel-Mounted Lamps

Steelcase	9-Watt	13-Watt
Answer®, Kick™	LLYRAN	LLY13AN
Avenir®	LLYRAA	LLY13A
Context®	LLYRAC	LLY13C
Elective Elements®	LLYRAE	LLY13E
Montage®	LLYRMT	LLY13MT
Pathways®	LLYRPW	LLY13PW
Series 9000®/Valencia®	LLYRA9	LLY139
Slatwall, single arm	LLYRSW	LLY13SW
WorkFlo® Rail	LLYRWF	LLY13WF

Panel-Mounted Lamps

Steelcase

Answer®, Kick	LCHEAN
Avenir®	LCHEA
Context®, vertical double arm	LCHECX
Elective Elements®	LCHEE
Pathways®	LCHEPW
Series 9000®/Valencia®	LCHE9
Slatwall, single arm	LCHE1
Slatwall, double arm	LCHE2
Slatwall horizontal	LCHESH
WorkFlo® Rail, single arm	LCHEW1
WorkFlo® Rail, double arm	LCHEW2




Shade: W4¹/₁₀ x L11¹/₂
 Weight: 12 lbs.
 Charcoal, Dark Champagne, Pewter

Other Systems

Haworth Places, UniGroup	LCHEHA
Herman Miller Action Office®	LCHEAO
Herman Miller Ethospace®	LCHEET
Knoll, Equity & Morrison	LCHEKN

Freestanding Lamps


Base, single arm	LCHEF1
Base, double arm	LCHEF2
C-clamp, single arm	LCHEC1
C-clamp, double arm	LCHEC2



Base: 9¹/₂ diameter
 Shade: W4¹/₁₀ x L11¹/₂
 Weight: single-arm 12 lbs.
 Weight: double-arm 13 lbs.
 Charcoal, Dark Champagne, Pewter

Other Systems


Haworth Places, UniGroup	LLYRHA	LLY13HA
Herman Miller Action Office®	LLYRAO	LLY13AO
Herman Miller Ethospace®	LLYRET	LLY13ET
Knoll, Morrison	LLYRKN	LLY13KN



Shade: 7 diameter
 Weight: 8 lbs.
 Charcoal, Dark Champagne, Pewter


Freestanding Lamps

C-clamp	LLYRCP	LLY13CP
Freestanding	LLYRAF	LLY13F




Base: 8¹/₂ diameter
 Shade: 7 diameter
 Weight: 8 lbs.
 Charcoal, Dark Champagne, Pewter

Maximum Illuminance (footcandles)



Maximum Illuminance (footcandles)



■ IOS™ LIGHT

- Panel-mounted or Freestanding
- Articulates at three distinct ball-and-socket joints for maximum adjustability
- Swivels freely in panel-mount bracket
- See chart on pg.43 for adjustability ranges
- Black 6' cord
- 13-watt fluorescent model
- **Note: Panel mount bracket does not work in corner applications**



Panel-Mounted



Freestanding

98S0301

98S0302


Panel-Mounted Lamps

Steelcase

Answer®, Kick™	LIOSAN
Avenir®	LIOSA
Context®	LIOSC
Elective Elements®	LIOSE
Montage®	LIOSMT
Pathways®	LIOSPW
Series 9000®/Valencia®	LIOS9
Slatwall	LIOSSW
WorkFlo®	LIOSWF

Other Systems

Haworth Places, UniGroup	LIOSHA
Herman Miller Action Office®	LIOSAO
Herman Miller Ethospace®	LIOSET
Knoll, Morrison	LIOSKN




Shade: W4½ x L5½

Weight: 4 lbs.

Amber, Charcoal, Fern Frost, Rain, Shade

Freestanding Lamps

C-clamp	LIOSCP
Freestanding	LIOSF




Base: 9½ diameter

Shade: W4½ x L5½

Weight: 8 lbs.

Amber, Charcoal, Fern Frost, Rain, Shade

Maximum Illuminance (footcandles)



■ PALOMA™ LIGHT

- Panel-mounted
- Ideal for use under shelf or binder bin
- Double-arm design provides three laterally movable joints for superior horizontal movement
- Prismatic lens diffuses light and minimizes glare
- See chart on pg.43 for adjustability ranges
- Shade can be rotated to change lighting direction
- Black 9' cord
- 13-watt fluorescent model
- **Note: Panel mount bracket does not work in corner applications**



Panel-Mounted

98S0296


Panel-Mounted Lamps

Steelcase

Answer®, Kick™	LPALAN
Avenir®	LPALA
Elective Elements®	LPALAE
Pathways®	LPALPW
Slatwall	LPALSW
Series 9000®/Valencia®	LPAL9

Other Systems

Haworth Places, UniGroup	LPALHA
Herman Miller Action Office®	LPALAO
Herman Miller Ethospace®	LPALLET
Knoll, Equity & Morrison	LPALKN




Shade: W2½ x L11

Weight: 4 lbs.

Charcoal, Dark Champagne, Pewter

Maximum Illuminance (footcandles)



Personal Task Lighting

■ ELSA™ LIGHT

- Panel-mounted or freestanding
- Three movable joints allow adjustment from top and bottom of the arm and at the shade
- Prismatic lens diffuses light and minimizes glare
- See chart on pg.43 for adjustability ranges
- Shade can be rotated to change lighting direction
- Black 9' cord
- 13-watt fluorescent model
- **Note: Panel mount bracket does not work in corner applications**



Panel-Mounted

98S0297



Freestanding

98S0298


Panel-Mounted Lamps

Steelcase

Answer®, Kick	LELSAN
Avenir®	LELSA
Elective Elements®	LELSE
Pathways®	LELSPW
Series 9000®/Valencia®	LELS9
Slatwall	LELSSW
WorkFlo®Rail	LELSWF

Other Systems

Haworth Places, UniGroup	LELSHA
Herman Miller Action Office®	LELSAO
Herman Miller Ethospace®	LELSET
Knoll, Equity & Morrison	LELSKN




Shade: W2½ x L11

Weight: 4 lbs.

Charcoal, Dark Champagne, Pewter

Freestanding Lamps

C-Clamp	LELSCP
Freestanding	LELSF




Base: W7 x D7

Shade: W2½ x L11

Weight: 4 lbs.

Charcoal, Dark Champagne, Pewter

Maximum Illuminance (footcandles)



■ PISA™ LIGHT

- Freestanding
- Leans up to 20° in any direction to position light where needed most
- Shade tilts around the lamp
- Includes 100-watt incandescent lamp
- See chart on pg.43 for adjustability ranges
- Black 6½' cord




Freestanding

98S0295

Freestanding Lamps

Freestanding	LPISA
--------------	-------




Base: 6 diameter

Shade: 8½ diameter

Weight: 4 lbs.

Black, Ice Blue, Metallic Green
Metallic Red, Venetian Gold

Maximum Illuminance (footcandles)



■ POWERPINCHER™ WITH OCCUPANCY SENSOR

- Energy-saving occupancy sensor turns equipment on when you're there, and off when you're not
- Power strip includes 8 outlets with surge protection, 6 outlets controlled by sensor, and 2 outlets un-controlled
- On/Off Switch
- Passive, infrared occupancy sensor detects the slightest human motion within monitored area
- Sensor can be positioned under worksurface or storage unit or on the wall up to 9 feet away from outlet
- Swivel base on sensor makes it easy to install and aim
- Sensor time delay can be adjusted from 1 to 30 minutes
- Quickly pays for itself through reduction in energy costs
- Great for people with reaching limitations
- UL listed and CSA certified



02-0000338


PPS6SP









2.5 lbs.

8-outlet with surge protection

W3¼ x L9½


Black



	WATTS/TYPE	COLOR RENDERING INDEX	COLOR TEMPERATURE	HORIZONTAL ARM RANGE	VERTICAL HEIGHT ADJUSTMENT	TILT/SWIVEL	REPLACEMENT LAMP (BULB)
 CHESTER	13 Fluorescent	82	4100K	13 1/4"-26 1/4"	0-26"	240° at base 160° at base	13-WATT Sylvania CF 13D S/E/841
 LYRA	9 or 13 Fluorescent	81	2700K	0-28"	5-18"	15° tilt at shade 90° tilt at base	9-WATT GE F9BX 13-WATT GE F13BX
 IOS	13 Fluorescent	81	3500K	10-31"	4-30"	360° tilt at shade 60° tilt range 360° swivel at base	13-WATT GE F13DBX
 PALOMA	13 Fluorescent	82	3500K	16-37"	N/A	180° arm swivel	13-WATT GE 13BX
 ELSA	13 Fluorescent	82	3500K	0-28"	0-18"	330° at shade 360° at base	13-WATT GE 13BX
 PISA	100 Incandescent	100	2850K	N/A	21" fixed height	20° at base	Any 100-Watt incandescent
 CANOPY	14 Fluorescent	85	3500K	N/A	N/A	N/A	Philips F28T5/835
	21 Fluorescent	85	3500K				Philips F21T5/835
	28 Fluorescent	85	3500K				Philips F14T5/835
 UNDERLINE	13 Fluorescent	80	3500K	N/A	N/A	N/A	Sylvania FM13/835



healthy
Support



If people are the machines of business, then ergonomics is the science of caring for the equipment. Details delivers unified answers that address a wide range of ergonomic issues. Yet nowhere are intelligent tools more needed than where the rubber meets the road: Right where the keyboard, monitor and worksurface intersect. It's like this. AS TECHNOLOGY INCREASINGLY BECOMES THE RULE, WE HELP PEOPLE RULE THE TECHNOLOGY. Smartly. SAFELY.



Technology runs rampant

in the workplace. Multiple flat panels, laptop mobility, and electronic data transport demand new solutions.

Healthy ones!






Product highlights:

- Pewter and Frost worktools – Slatwall-based • Flat Panel Monitors supported by double Flat Panel Monitor Arm
- File and Project Containers • Equilibrium™ keyboard platform • Galilei™ Passive Shelf • Furniture system – Pathways™ Post and Beam® from Steelcase®

These are our MVPs – a collection of our Most Versatile/Practical keyboard combinations.

Look for the “MVP” icon  within the SpecCharts on pages 52 to 61. It’s a handy way to cross-reference these MVPs within those charts.

Noteworthy

- *These nine combinations are only a starting point. Over 90 more mix and match combinations are available. Turn to the SpecCharts on pages 52 to 61 for the full selection.*
- *All details of the various mechanisms and platforms, including tips on which platforms and mechanisms are most appropriate, are on pages 62 to 67.*




These solutions work in a wide cross-section of popular applications. Please check with Customer Alliance or your Details Market Manager to confirm the selection for a particular application or if you have questions.



Straight

MKC127


Eastridge mechanism with a Jules Platform



Straight

CCSAF2


Standard Stella Mechanism with a Classic Rectangular Platform and a Positionable Palm Rest



Straight

MKC044


Standard Stella mechanism with a Slider Platform and a 1.5" Palm Rest



Diagonal

MKC127


Eastridge mechanism with a Jules Platform



Diagonal

MKC109


Eastridge Mechanism with a 17" Diagonal Platform



Diagonal

CCSAF2


Standard Stella Mechanism with a Classic Rectangular Platform and a Positionable Palm Rest



Radius

MKC108


Eastridge Mechanism with a 18" Radius Platform



Radius

MKC129


Extended Stella Mechanism with a Jules Platform (12" Radius)



Radius

MKC071




Extended Stella Mechanism with a Slider Platform and 1.5" Palm Rest





Don't turn the page quite yet.

Read this first for a clear way to get precisely what you want. Just follow these two steps.

1 Determine the workstation's configuration: Straight, Diagonal, or Radius.



2 Measure the depth of the worksurface. (For Diagonal configuration, measure front edge of worksurface.)



To specify a Radius Corner: $42'' - 24'' = 18''$ radius dimension.
Note: This formula may not apply for extended corner or irregularly shaped worksurfaces.



The SpecChart Dissected.

Review the magnified details of a sample SpecChart and specifying keyboards will be almost as easy as spec'ing a pencil cup. Really!

Look for the appropriate worksurface depth, e.g. 24".

This style number means you can order the corresponding Mechanism by itself (**not** as a combination with a Platform). The designated page number provides more product information.

17" Diagonal CSD17V2 pg.64

This style number means you can order the corresponding Platform by itself (**not** as a combination with a Mechanism). The designated page number provides more product information.

MKC102 \$321 M

This style number represents the combination of the selected Platform and the selected Mechanism.

That's it. In fact, it's really so much easier than the above description makes it seem. Just turn the page and get started. (All details of the various mechanisms and platforms, including tips on which platforms and mechanisms are most appropriate, are on pages 62 to 67. Individual Components and Additional Computer Support Tools follow.)

Of course, you can also order Standard Assemblies, Fixed Mount products, and Individual Components.

Finishes

BLACK 835



CHAMPAGNE 5101



CHARCOAL 5103



PEWTER 5052



Customer Alliance - Need Spec'ing help? That's why we're here.

800.833.0411 gets you answers.

Straight Surface Application SpecChart

Workstation Configurations

Find the appropriate dimension for your workstation and select from the product offerings on these pages.

Legend

* Select a Mousing Surface, pg.70

















■ Mechanisms

■ Keyboard Platforms

 **MVP**
(Most Versatile/Practical)

All of the Platforms and Mechanisms shown on this page will work together for the condition specified.

Fixed Mount Combinations are also available when keyboard storage is not required. See pg.67 for additional information.

		18"		20"		
		Mechanisms		Mechanisms	 	
			Standard Spring Assist CMSSS pg.62		Standard Spring Assist CMSSS pg.62	
Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64	CSKS*	CSKSD*	Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64	CSKS* CSKSD*	MKC041* MKC042*
	17" Diagonal CSD17V2  pg.64	MKC102		17" Diagonal CSD17V2  pg.64	MKC102	MKC116
	21" Diagonal CSD21V2  pg.64	MKC103		21" Diagonal CSD21V2  pg.64	MKC103	MKC117
	Jules™ CSAM  pg.64	MKC125		Jules™ CSAM  pg.64	MKC125	MKC128
	Slider CSP w/1.5" PR CSPD w/3" PR  pg.65	MKC004 MKC072		Slider CSP w/1.5" PR CSPD w/3" PR  pg.65	MKC004 MKC072	MKC044 MKC076 
	Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR  pg.65	MKC159 MKC160 MKC161 MKC162		Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR  pg.65	MKC159 MKC160 MKC161 MKC162	CCSAF1 CCSAF2 MKCO55 MKCO56 
	Equilibrium™ CSIMw/o PR CSIMPP w/positionable PR CSIMFP w/full-width PR  pg.65	MKC130 MKC131 MKC132		Equilibrium™ CSIMw/o PR CSIMPP w/positionable PR CSIMFP w/full-width PR  pg.65	MKC130 MKC131 MKC132	MKC136 MKC137 MKC138





In Straight Applications measure unobstructed dimensions to ensure fit based on width of keyboard platform and required undersurface track clearance.

 24" to 36"		Mechanisms		
		 Standard Spring Assist CMSSS pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63
Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR pg.64	CSKS* CSKSD*	MKC090* MKC091*	MKC041* MKC042*
	17" Diagonal CSD17V2 pg.64	MKC102	MKC109	MKC116
	21" Diagonal CSD21V2 pg.64	MKC103	MKC110	MKC117
	Jules™ CSAM pg.64	MKC125	MKC127 ★	MKC128
	Slider CSP w/1.5" PR CSPD w/3" PR pg.65	MKC004 MKC072	MKC092 MKC093	MKC044 MKC076 ★
	Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR pg.65	MKC159 MKC160 MKC161 MKC162	MKC155 MKC156 MKC157 MKC158	CCSAF1 CCSAF2 MKC055 MKC056 ★
	Equilibrium™ CSIMw/o PR CSIMPP w/positionable PR CSIMFP w/full-width PR pg.65	MKC130 MKC131 MKC132	MKC133 MKC134 MKC135	MKC136 MKC137 MKC138

Order separately or order as a combination.

To order as a combination, choose both a keyboard Platform and a Mechanism. Trace across on the horizontal plane from the desired Platform until intersecting the vertical plane for the desired Mechanism. Then simply order the indicated style number.



Diagonal Surface Application SpecChart

Workstation Configurations

Find the appropriate dimension for your workstation and select from the product offerings on these pages.










Legend










* Select a Mousing Surface, pg.70

Keyboard Platforms

Mechanisms

MVP
(Most Versatile/Practical)

		Mechanisms	 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63			
			Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR pg.64 	17" Diagonal CSD17V2 pg.64 	Jules™ CSAM pg.64 	CSKS* CSKSD*	CSEKS* CSEKSD*	MKC090* MKC091*	MKC041* MKC042*
			MKC102		MKC109	MKC116				
				MKC126	MKC127	MKC128	MKC129			

		Mechanisms	 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63			
			Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR pg.64 	17" Diagonal CSD17V2 pg.64 	Jules™ CSAM pg.64 	CSKS* CSKSD*	CSEKS* CSEKSD*	MKC090* MKC091*	MKC041* MKC042*
			MKC102		MKC109	MKC116				
			MKC125	MKC126	MKC127	MKC128	MKC129			















open here

Diagonal



Measure the inside of the diagonal edge. Diagonal edge must be greater than keyboard platform width to allow for full workstation clearance. Note grommet hole locations for track mounting clearance.
For systems with 3" cantilevers or central locking, please call Customer Alliance for specification assistance.

		Mechanisms					
		 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63	
Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64	CSKS* CSKSD*	CSEKS* CSEKSD*	MKC090* MKC091*	MKC041* MKC042*	MKC069* MKC070*	
	17" Diagonal CSD17V2  pg.64	MKC102		MKC109 ★	MKC116		
	21" Diagonal CSD21V2  pg.64	MKC103		MKC110	MKC117		
	Jules™ CSAM  pg.64	MKC125	MKC126	MKC127 ★	MKC128	MKC129	
	Slider CSP w/1.5" PR CSPD w/3" PR  pg.65		MKC017 MKC073	MKC092 MKC093		MKC071 MKC077	
	Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR  pg.65		MKC163 MKC164 MKC165 MKC166 Available for 25" Diagonal and larger.	MKC155 MKC156 MKC157 MKC158 Available for 25" Diagonal and larger.		CCCAF1 CCCAF2 MKC057 MKC058 Available for 25" Diagonal and larger.	














All of the Platforms and Mechanisms shown on this page will work together for the condition specified.
Fixed Mount Combinations are also available when keyboard storage is not required. See pg.67 for additional information.

Order separately or order as a combination.

To order as a combination, choose both a keyboard Platform and a Mechanism. Trace across on the horizontal plane from the desired Platform until intersecting the vertical plane for the desired Mechanism. Then simply order the indicated style number.



Diagonal Surface Applications

 Mechanisms		 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63
		Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64	CSKS* CSKSD*	CSEKS* CSEKSD*	MKC090* MKC091*
17" Diagonal CSD17V2  pg.64	MKC102			MKC109 ★	MKC116	
21" Diagonal CSD21V2  pg.64	MKC103			MKC110	MKC117	
Jules™ CSAM  pg.64	MKC125		MKC126	MKC127 ★	MKC128	MKC129
Slider CSP w/1.5" PR CSPD w/3" PR  pg.65			MKC017 MKC073	MKC092 MKC093		MKC071 MKC077
Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR  pg.65			MKC163 MKC164 MKC165 MKC166	MKC155 MKC156 MKC157 MKC158	CCSAF1 CCSAF2 MKC055 MKC056 ★	CCCAF1 CCCAF2 MKC057 MKC058
Equilibrium™ CSIMw/o PR CSIMPP w/positionable PR CSIMFP w/full-width PR  pg.65	MKC130 MKC131 MKC132			MKC133 MKC134 MKC135	MKC136 MKC137 MKC138	



Radius Surface Application SpecChart








Workstation Configurations








Find the appropriate dimension for your workstation and select from the product offerings on these pages.



To specify a Radius Corner: $42'' - 24'' = 18''$ radius dimension. Note: This formula may not apply for extended corner or irregularly shaped worksurfaces.























Legend		Mechanisms	
* Select a Mousing Surface, pg.70		 Extended Spring Assist CMSES pg.62	 Extended Stella CMCEQ pg.63
 Keyboard Platforms	 12" radius		
 Mechanisms	 Jules™ CSAM pg.64	MKC126	MKC129
 MVP (Most Versatile/Practical)			

Legend		Mechanisms		
 15" to 17" radius		 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Extended Stella CMCEQ pg.63
 Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR pg.64			
	 Jules™ CSAM pg.64	MKC126		MKC129
				



open here

Radius
















 18" radius		Mechanisms				
		 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63
Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64		CSEKS* CSKSD*	MKC090* MKC091*		MKC069* MKC070*
	18" Radius CSR18V2  pg.64	MKC101		MKC108 ★	MKC115	
	Jules™ CSAM  pg.64		MKC126		MKC128	MKC129 ★
 20" to 24" radius		Mechanisms				
		 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63
Keyboard Platforms	Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64	CSKS* CSKSD* Available for 24" Radius only.	CSEKS* CSEKSD*	MKC090* MKC091*		MKC069* MKC070*
	18" Radius CSR18V2  pg.64	MKC101		MKC108 ★	MKC115	
	Jules™ CSAM  pg.64	MKC125	MKC126	MKC127	MKC128	MKC129 ★
	Slider CSP w/1.5" PR CSPD w/3" PR  pg.65		MKC017 MKC073	MKC092 MKC093		MKC071 MKC077 ★
	Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR  pg.65					CCAF1 CCAF2 MKC057 MKC058 Available for 24" Radius only.

All of the Platforms and Mechanisms shown on this page will work together for the condition specified.

Fixed Mount Combinations are also available when keyboard storage is not required.

See pg.67 for additional information.

Order separately or order as a combination. To order as a combination, simply trace across on the horizontal, from the platform desired, until intersecting the correct vertical column, for the desired mechanism, and order the indicated style number.

 30" radius		Mechanisms	 Standard Spring Assist CMSSS pg.62	 Extended Spring Assist CMSES pg.62	 Eastridge™ CMUES pg.62	 Standard Stella CMCSQ pg.63	 Extended Stella CMCEQ pg.63
			Keyboard Platforms				
Compact CSC* w/1.5" PR CSCD* w/3" PR  pg.64	CSKS* CSKSD*	CSEKS* CSEKSD*	MKC090* MKC091*		MKC069* MKC070*		
18" Radius CSR18V2  pg.64	MKC102		MKC108 	MKC115			
Jules™ CSAM  pg.64	MKC125	MKC126	MKC127	MKC128	MKC129 		
Slider CSP w/1.5" PR CSPD w/3" PR  pg.65		MKC017 MKC073	MKC092 MKC093		MKC071 MKC077 		
Classic Rectangular CSS w/o PR CSSPP w/positionable PR CSSFP w/full-width PR CSSAP w/height adj. full-width PR  pg.65		MKC163 MKC164 MKC165 MKC166	MKC155 MKC156 MKC157 MKC158		CCCAF1 CCCAF2 MKC057 MKC058		
Equilibrium™ CSIMw/o PR CSIMPP w/positionable PR CSIMFP w/full-width PR  pg.65	MKC130 MKC131 MKC132		MKC133 MKC134 MKC135	MKC136 MKC137 MKC138			

Radius Surface Applications



■ SPRING ASSIST MECHANISM

- Provides rigid support
- Works in all worksurface configurations, except 90° corner
- Single knob for height adjustment
- Tilt control at the front
- Works with all Details platforms

Track Length and Application Hints


- Standard requires 18" worksurface depth
- Extended requires 21" worksurface depth
- Track length of standard mechanism is 17"
- Track length of extended mechanism is 21"

Standard Spring Assist CMSSS

6 lbs.

W10 x H3½ x D12¾

Black




Extended Spring Assist CMSES

7.5 lbs.

W10 x H3½ x D17¼

Black



Installation required



01S0203

The Spring Assist mechanism provides rigid support in standard and extended applications and works with all Details platforms. Use it on most straight or corner worksurface configurations. A corner filler is required for use in a 90-degree corner application. Refer to SpecCharts or call Customer Alliance at 800.833.0411.

Recommended for moderate computer users;
2-4 hours / day



■ WORKSTATION DESIGN TIPS

- Most keyboard-only applications require a minimum of 20" horizontal space. Keyboard and mouse combinations require a minimum of 28" horizontal space. Refer to SpecCharts or call Customer Alliance at 800.833.0411.
- A keyboard mechanism cannot mount to a worksurface with a center drawer.
- Depending on the platform chosen, mounting a keyboard support on a credenza requires sufficient knee space and depth for the track.
- Double-pedestal desks may require a mouse support that stores over or under the keyboard when not in use.

■ EASTRIDGE MECHANISM


- Simple, knobless lift and release height positioning
- 360° rear swivel for ultimate adjustability
- Works with all Details platforms

Eastridge CMUES

9 lbs.

W7½ x H10 x D16¾


Black



Installation required

Track Length and Application Hints:

- Requires 24" worksurface depth clearance.
- Overall track length is 23"



01S0202

The Eastridge mechanism features simple, knobless lift and release height positioning, a knob release for independent tilt adjustment, and 360-degree rear swivel for durable adjustability. The sleek design features solid steel construction and provides increased clearance for your knees. Eastridge works with all Details platforms and the extended arm length is great for corner applications. A corner filler is required for use in a 90-degree corner application. Refer to SpecCharts or call Customer Alliance at 800.833.0411.

Recommended for moderate computer users;
2-4 hours / day



■ **STELLA MECHANISM**


- Sets the standard for keyboard mechanisms. That's why it's the best selling mechanism in the entire industry
- Patented knob-free adjustability
- Unique cable-controlled mechanism
- Ideal for intensive computer user or multi-user workstation
- Works with all Details platforms

Track Length and Application Hints:

- Standard requires 20" worksurface depth clearance. Overall track length is 19 1/4"
- Extended requires 25" worksurface depth clearance. Overall track length is 23 1/2"
- Ships with positive tilt locked out


**Standard Stella
CMCSQ**

12 lbs.
W6 1/2 x H9 x D16
Black



**Extended Stella
CMCEQ**

16 lbs.
W6 1/2 x H9 x D20
Black



 **Installation required**



01S020

Stella is a completely knob-free keyboard support mechanism that adjusts at the touch of a finger, works with a wide variety of keyboards, and provides superior stability. The unique cable-controlled technology offers 360-degree rear swivel motion and moves the tray from 2" above to 5" below the worksurface. To adjust, simply lift the platform front, move it to a comfortable position, and release. A large, easy-to-reach tilt handle changes the platform angle within a 15-degree range in either direction for personal comfort.

The Stella mechanism is available in a standard-mount model for straight-on applications and in an extended-mount option that extends the platform an additional 4" for mounting in corner applications. Stella also features patented Quick-Connect™ capability, which lets you quickly change out keyboard support platforms as needs and people change, without the costly reconfiguration of your total space. A corner filler is required for use in a 90-degree corner application. Refer to SpecCharts or call Customer Alliance at 800.833.0411.


Recommended for intensive computer users;
4 + hours / day



■ **APPLICATION TIPS**

- Keyboard supports can be installed on millwork or case goods. Blocking or washers may be required for mounting if worksurface has an apron or front edge.
- Consider worksurface brackets, back panels, cable troughs, or other potential undersurface obstacles for proper installation or storage.
- Typically, straight worksurface applications require standard-mount mechanisms and corner applications require longer, extended-mount mechanisms. Exception: Depending on the dimension of the radius or diagonal corner, a standard mount could be used (see SpecCharts). Actual product application and specific user needs should be taken into consideration.
- Consider clearance depth under worksurface to accommodate track and required storage depth.

Quick-Connect™ and Modularity



Details offers modular solutions with Quick-Connect capability — a patented system that allows platforms to be easily exchanged to suit specific user or workstation needs. All modular platforms will automatically ship with Quick-Connect capability — no tools are needed for installation of platforms. Mounting hardware for application of platforms to mechanisms that do not have Quick-Connect capability is included.

■ **MECHANISMS**

	Standard Stella	Extended Stella	Eastridge	Standard Spring Assist	Extended Spring Assist
Rear Swivel	360°	360°	360°	360°	360°
Tilt	+/-15°	+/-15°	+/-15°	+/-15°	+/-15°
Rises Above Worksurface	2"	2"	0	0	2"
Lowers Below Worksurface	5"	5"	7 1/2"	6"	6"
Min. Worksurface Depth Requirement	20"	25"	24"	18"	21"

Keyboard Platforms



COMPACT

- Palm rest adjusts 1/2" to 2" and is available in two depths
- Offers Quick-Connect™ capability (patented)
- Expandable clamping tray design



98S0450

CSC

Compact with 1 1/2" adjustable palm rest

6 lbs.

W11 1/2" x H2 1/2" x D9 1/2"

Black



CSCD

Compact with 3" adjustable palm rest

7 lbs.

W11 1/2" x H2 1/2" x D9 1/2"

Black



Specifying Hints

- Requires 20" wide kneespace clearance
- Use with CKMS or CKF mousing supports (consult workstation application/design for most appropriate option)
- Supports keyboards up to W22" x D9 1/2"
- Cable management routing hardware included

18" RADIUS

- Document slot supports up to 20 sheets of paper for convenient in-line viewing of reference material
- Ships with full-width, fixed-height palm rest
- Offers Quick-Connect capability (patented)
- Includes mouse retention and cable management wires
- Textured mousing surface for both right-handed and left-handed users



00S0250

CSR18V2

7 lbs.


W27 3/4" x H 3/4" x D14 1/4"

Champagne, Charcoal, Pewter



Specifying Hints

- Requires 28" wide kneespace clearance



17" AND 21" DIAGONAL

- For diagonal or straight applications
- Document slot supports up to 20 sheets of paper for convenient in-line viewing of reference material
- Ships with full-width, fixed-height palm rest
- Offers Quick-Connect capability (patented)
- Includes mouse retention and cable management wires
- Textured mousing surface for both right-handed and left-handed users



00S0230

CSD17V2

7 lbs.

W27 3/4" x H 3/4" x D12 3/4"

Champagne, Charcoal, Pewter



CSD21V2

7 lbs.

W27 3/4" x H 3/4" x D12 1/2"

Champagne, Charcoal, Pewter



Specifying Hints

- Requires 28" wide kneespace clearance



JULES™

- Ambidextrous, integrated mousing surface adjusts without tools for left- or right-handed mousing
- Ideal for multi-user workstations
- Curved mouse surface design for correct ergonomic positioning
- Includes integrated routing clips
- Standard fixed-height palm rest is 2" wide and covers entire front edge of the platform
- Offers Quick-Connect Capability (patented)



01S0206

CSAM

3 lbs.

W18 3/4" x H5 5/8" x D12

Mouse Surface W8 1/2" x D7 1/2"

Champagne, Charcoal, Pewter



Specifying Hints

- Requires 20" wide kneespace clearance

Jules platform on an extended mechanism works in a 12" radius application.



SpecTip





■ SLIDER

- Ambidextrous, integrated mousing surfaces adjust for left-handed or right-handed mousing
- Offers Quick-Connect™ capability (patented)
- Creates an integrated workstation approach
- Curved mouse surface designed for correct ergonomic positioning
- Palm rests are height-adjustable in a range of 1¼" from ¼" to 1½" above the platform

Specifying Hints

- Requires 20"- wide kneespace clearance
- Cable management routing clips included



01S0204

CSP

Slider with 1½" adjustable palm rest

CSPD

Slider with 3" adjustable palm rest

7 lbs.

W20 x H3 x D9½

Mouse Surface W8 x 8

Champagne, Charcoal, Pewter



■ CLASSIC RECTANGULAR™ KEYBOARD PLATFORM

- Thinner Profile
- Ideal for intensive computer users or multi-user workstation situations
- Ambidextrous same plane mousing surfaces
- Integral cable guides for wire management
- Quick-Connect™ for tool-free swap-out (patented)
- Platform surface is steel; mouse surface material is PVC
- Attaches to any Details Mechanism



01S0199

CSS

Without Palm Rest

CSSPP

With Positionable Palm Rest

CSSF

With Full-Width, Fixed height Palm Rest

CSSAP

With Full-Width, Height-Adjustable Palm Rest

8 lbs.

W27½ x D9½

Champagne, Charcoal, Pewter



■ EQUILIBRIUM™

- Offers Quick-Connect capability (patented)
- Positionable keyboard surface facilitates in-line keying
- Thin profile stores easily and maximizes leg room
- Non-handed mousing surface with angle adjustment independent of keyboard
- Non-metallic mousing surface works with a wireless mouse
- Independent or same plane mousing capability
- In-line document holder for easy viewing of source material
- Multiple cable management methods accommodate user preferences
- Available with either a keyboard-only palm rest or with a palm rest that spans keying and mousing area
- Optional ½" adjustable palm rest with one-hand height adjustment
- Mouse retention edge



01S0205

Specifying Hints

- Requires 28½" wide kneespace clearance
- Must specify palm rest option

CSIM

Equilibrium without palm rest

CSIMP

Equilibrium with positionable palm rest

CSIMFP

Equilibrium with full-width palm rest

4 lbs.

W26½ x H¾ x D9

Champagne, Charcoal, Pewter




Standard mount options are typically used in straight and diagonal applications. Consult with Customer Alliance 800.833.0411 to determine appropriate use in radius applications.



SpecTip

Classic Rectangular Keyboard Platform without palm rest easily accommodates a Microsoft Natural Keyboard.





99274 KEYBOARD SUPPORT

- Suited for standard keyboard applications
- Single-knob adjustment of both height and tilt
- Swivels 360°, tilts +/- 15°
- Height adjusts from flush with worksurface to 6" below
- Mouse support options available, including CKMS

Specifying Hints

- Requires minimum 18" worksurface depth clearance



01S0197


99274PR

Keyboard Support
with palm rest

16.5 lbs.

W29½ x H5½ x D17

Black




99274A

Keyboard Support
without palm rest


15.5 lbs.

W29½ x H5½ x D17

Black



Installation required



EASY SPEC

- For straight mounting applications
- Single-knob adjustment
- Swivels 360°, tilts +/- 15°
- Height adjusts from flush with worksurface to 6" below
- Standard with 2½" deep, fixed-height soft palm rest and mouse surface

Specifying Hints

- Requires 24"-wide kneespace clearance
- Supports keyboards up to W22" x D9½"



01S0214


CSVSPM

With palm rest and
mouse surface

9 lbs.

W29½ x H5½ x D17

Black



Installation required



■ **FIXED MOUNT COMBINATIONS**



MKC122

18" Radius Standard Stella
Minimum radius required 18"
17 lbs.



MKC123

17" Diagonal Standard Stella
Minimum width required 17"
17 lbs.




MKC124

21" Diagonal Standard Stella
Minimum width required 21"
17 lbs.




MKC139

Jules Standard Stella
Minimum width required 19"
Minimum radius required 19"
13 lbs.



MKC050

Slider with 1.5" palm rest
Standard Stella
Minimum width required 20"
Minimum radius required 20"
17 lbs.



MKC078

Slider with 3" palm rest
Standard Stella
Minimum width required 20"
Minimum radius required 20"
17 lbs.



MKC143

Equilibrium w/o palm rest
Standard Stella
Minimum width required 27"
Minimum radius required 27"
16 lbs.



MKC144

Equilibrium w/ positionable palm rest
Standard Stella
Minimum width required 27"
Minimum radius required 27"
16 lbs.



MKC145

Equilibrium w/ full-width palm rest
Standard Stella
Minimum width required 27"
Minimum radius required 27"
16 lbs.

Champagne, Charcoal, Pewter
Black mechanism



Installation required

■ **FIXED MOUNT COMBINATIONS**



CCTT

Fixed mount Stella mechanism
w/Classic Rectangular platform
without palm rest
Minimum width required 28"
Minimum radius required 32½"
21 lbs.



CCTTP

Fixed mount Stella mechanism
w/Classic Rectangular platform
w/ positionable palm rest
Minimum width required 28"
Minimum radius required 32½"
23 lbs.



MKC067

Fixed mount Stella mechanism
w/Classic Rectangular platform
w/full-width, fixed-height
palm rest
Minimum width required 28"
Minimum radius required 32½"
22 lbs.



MKC068

Fixed mount Stella mechanism
w/Classic Rectangular platform
w/full-width, adjustable
palm rest
Minimum width required 28"
Minimum radius required 32½"
23 lbs.

■ **MECHANISM**



CSFMSS

Standard Stella
10 lbs.

Fixed-mount combinations
do not store under worksurface.



READ THIS AND YOUR SELECTION WILL BE A BREEZE.

Simple two-step process.

1 Pick a Support/Arm

Specifying Hint: Key considerations are the desired level of adjustability and the weight of the flat panel that the arm will support.


2 Pick a Bracket (if necessary)

Specifying Hint: Key consideration is the specific application — the furniture system and/or the mounting requirements.

That's it! You're now ready to choose. Once you've chosen, simply place your order using the two separate style numbers.

■ WALL MOUNT SUPPORT

- No additional brackets required
- Mounts directly to wall
- LCD Monitor mounts directly to the support with VESA Plate allowing the monitor to sit approximately 4" from the wall
- LCD Monitor can tilt over 15° up and down
- LCD can rotate over 90° for portrait viewing



CFWM

3.5 lbs.

Charcoal, Pewter

03-0000857

■ LIGHT-DUTY ARM

- Supports 4 – 25 lbs.
- 18" of Extension
- 8.5" of Height Adjustment (based on application)
- LCD Monitor can rotate 360° at three joints
- Cable management included with the arm
- Must also order a bracket from pg. 69



CF450

10 lbs.

Charcoal, Pewter

03-0000853

■ STANDARD ARM & HEAVY-DUTY ARM

- Standard Arm supports 10 – 22 lbs.
- Heavy-Duty Arm supports 12 – 29 lbs.
- 24" of Extension
- 16" of Height Adjustment (based on application)
- LCD Monitor can rotate 360° at three joints
- Cable management included with the arm
- Must also order a bracket from pg. 69



STANDARD ARM CF800

HEAVY-DUTY ARM CF1000

10.5 lbs.

Charcoal, Pewter

03-0000854

■ POLE MOUNT, SINGLE ARM

- Supports 5 – 35 lbs.
- 12"H Pole
- Arm is horizontal orientation
- Will fold into approximately 3" of space
- LCD Monitor extends 14" from pole
- Cable management included with the pole
- Must also order a bracket from pg. 69



CFSHA

6.0 lbs.

Charcoal, Pewter

03-0000855

■ POLE MOUNT, DOUBLE ARM

- Each arm supports 5 – 35 lbs.
- 12"H Pole
- Arm is horizontal orientation
- Will fold into approximately 3" of space
- LCD Monitor extends 14" from pole
- Cable management included with the pole
- Must also order a bracket from pg. 69



CFDHA

11.5 lbs.

Charcoal, Pewter

03-0000856

Each Monitor Support Arm includes 75mm mounting plate, 100mm mounting plate and tilt knuckle. Mounting tools also included with each Monitor Support Arm. If you have questions regarding VESA compliance, contact Customer Alliance at 1-800-833-0411.




Flat Panel Monitor Brackets

■ DESK-CLAMP / GROMMET

CFSPC

3.5 lbs.

Charcoal, Pewter




■ THROUGH MOUNT

CFSPTM

2.5 lbs.

Charcoal, Pewter




■ WALL / REVERSE WALL MOUNT

CFSPWM

2.5 lbs.

Charcoal, Pewter




wall reverse wall

■ SLATWALL

CFSPSW

3.0 lbs.

Charcoal, Pewter




■ WORKFLO® RAIL

CFSPWF

3.0 lbs.

Charcoal, Pewter




■ I/Q SLATRAIL*

CFSPSR

3.0 lbs.

Charcoal, Pewter




■ SERIES 9000® – STRAIGHT

CFSP9S

2.5 lbs.

Charcoal, Pewter




■ SERIES 9000® – CORNER

CFSP9C

3.0 lbs.

Charcoal, Pewter




■ AVENIR® – STRAIGHT

CFSPAS

2.5 lbs.

Charcoal, Pewter




■ AVENIR® – CORNER

CFSPAC

2.5 lbs.

Charcoal, Pewter




■ ANSWER® / KICK™ – STRAIGHT

CFSPANS

2.5 lbs.

Charcoal, Pewter




■ ANSWER® / KICK™ – CORNER

CFSPANC

3.0 lbs.

Charcoal, Pewter



* To order Slatrail, refer to the I/Q Catalog (02-0001602).



Mounting tools included with each Bracket.

Contact our Customs group for alternative mounting solutions, including Post and Beam.



Mouse Supports & Palm Rests

■ SLIDE, SWIVEL, TILT MOUSE PAD

- Attaches to Compact platform
- Swivels 360°
- Mouse pad slides left and right increasing user comfort
- Tilts +/- 15°
- Can be adjusted independent of keyboard support
- All steel construction with PVC mouse pad for durability
- Attaches to either side of the support tray for non-handed application




015S0207

CSSTM

2 lbs.

W8¼ x D8¼

Charcoal



■ ADJUSTABLE WRITING/MOUSING SURFACE

- Mousing support or supplementary writing surface
- Mounts independently of keyboard
- Swivels 360° to accommodate many applications
- Height adjusts from flush to 6" below worksurface
- Slides or swivels under work surface for storage
- Ample size creates more worksurface space



98S0460


CADW

10 lbs.

W10 x H5 X D18½

W10 x D12¾ usable surface

Black or Grotto surface
Black mechanism



Installation required

Specifying Hints

- Requires 20" worksurface depth

■ COMPACT, ADJUSTABLE (SWIVEL AND TILT)

- Attaches to Compact platform and 99274
- Mounts on either the Spring Assist or Stella Mechanism
- Mounts left or right without use of tools
- Keeps mousing in close proximity to keyboard
- Pivots 360° over 10-key pad for even closer mousing, greater stability and storage
- Tilts independently of keyboard +/- 15°
- Not height-adjustable
- Stores over keyboard when not in use




98S0454

CKMS

5 lbs.

W8 x H2½ x D8

Black



■ COMPACT, FIXED MOUSING SURFACE

- Attaches to Compact platform
- Static surface
- Mounts left or right without tools
- Includes detachable palm rest



98S0453

CKF

2 lbs.

W12½ x H¼ x D9

Charcoal



■ ACCESSORY PALM REST

- Attaches to the 99274A and 99274PR assemblies
- Installs between front and back supports of keyboard tray
- Height adjusts from ½" to 2"
- Nylon padding can be easily cleaned or replaced in field



98S0459

CPRA

4 lbs.

1½" Deep

Black


CPRAD

4 lbs.

3" Deep


W18" x D7½"

Black



■ **1½" PALM REST**

- For use on Compact or Slider platforms
- Height adjusts ½" to 2"



CAP


1 lb.

W20 x H½ x D1½

Champagne, Charcoal, Pewter

■ **3" PALM REST**

- For use on Compact or Slider platforms
- Height adjusts ½" to 2"



CAPD


1 lb.

W20 x H½ x D3

Champagne, Charcoal, Pewter

■ **CLASSIC RECTANGULAR, POSITIONABLE PALM REST**

- For use with Classic Rectangular platform
- Padded, height adjustable palm rest from level to ¾" above platform
- Fits left, right or middle



CCP


2 lbs.

W19¾ x H2 x D2

Champagne, Charcoal, Pewter

■ **CLASSIC RECTANGULAR, FULL-WIDTH, FIXED-HEIGHT PALM REST**

- For use with Classic Rectangular platform
- Full-width for support during keying and mousing breaks
- Mounts inboard on platform



CPF


1 lb.

W27 x H¾ x D2

Champagne, Charcoal, Pewter

■ **CLASSIC RECTANGULAR, FULL-WIDTH, HEIGHT-ADJUSTABLE PALM REST**

- For use with Classic Rectangular platform
- Full-width for support during keying and mousing breaks
- Mounts outboard on platform
- Height adjusts from level to ¾" above platform



CPA


2 lbs.

W27 x H2 x D2

Champagne, Charcoal, Pewter

■ **EQUILIBRIUM,™ POSITIONABLE PALM REST**

- For use with Equilibrium platform
- Padded, height-adjustable from level to ½" above platform
- Fits left or right



CIPP


1 lb.

W20 x H2 x D3

Champagne, Charcoal, Pewter

■ **EQUILIBRIUM, FULL-WIDTH PALM REST**

- For use with Equilibrium platform
- Padded, adjustable-height from level to ½" above worksurface
- Full-width for support during keying and mousing breaks
- Mounts outboard on platform



CIFP


1 lb.

W26½ x H2 x D3

Champagne, Charcoal, Pewter

■ **SLIDER MOUSING SURFACE PALM REST**

- Attaches to the Slider mousing surface
- Mounts left or right without the use of tools



SMPRS


1 lb.

W6½ x H¾ x D1½

Champagne, Charcoal, Pewter

■ **CUSHIONED REPLACEMENT PAD**

- Replaces worn pads on existing Details palm rests
- Clean, healthy solution for multiple users or new staff
- Easy to install
- Nylon padding can be easily cleaned or replaced in field



CSWP

1 lb.

1½" deep

Specifying Hints

- For use with Compact, Slider, 99274PR, CPRA, CPRAD, CPRF, and CPRFD.

CSWPD

1 lb.

3" deep

Champagne, Charcoal, Pewter

Monitor/Worksurface Tools

Technology Management

■ GLARE SCREEN

- Helps reduce eyestrain caused by glare, reflections and poor screen contrast
- 31% transmission rate
- 99% glare reduction
- Grounded to eliminate static
- Double-coated
- Includes cable and grounding plug



98S0294

CCGF15

for 15" monitors

3 lbs.

Grey Value 1

CCGF17

for 17" monitors

3 lbs.


Black, Grey Value 1

CCGF21

for 21" monitors

3 lbs.

Black, Grey Value 1



Other glare screens are available through Custom Solutions.

■ CABLE KEEPER

- Generous poly-fabric bag holds loose cables together in a central area
- Suspends at back of worksurface for a clean aesthetic
- Includes hardware for mounting
- Top of bag can be closed to securely trap and hide cables
- Pouch can also hold installation and maintenance pamphlets for ready reference



98S0291

TWSB

1 lb.

W19 x D13


Black



Not intended for storage of power strips: these should be mounted separately in a well-ventilated area.

■ CABLE MANAGER

- 8 feet of flexible, 1½"-diameter tubing to house cables
- Bundles and routes cables from various locations within workspace
- Includes 32 color-coded labels and two reusable, beaded tie wraps with adhesive mounts
- Can be cut to desired length



98S0284

TCMK

1 lb.

8 feet x 1½" diameter

Grey



■ CORNER FILLER

- For use in 90° corner applications
- Creates a diagonal corner for mounting a keyboard mechanism
- All steel construction
- Simply slide onto 90° corner worksurface and attach



01S0209

CCWS22125

22" Filler

10 lbs.

For use with 1¼" worksurfaces

CCWS22150

22" Filler

10 lbs.

For use with 1½" worksurfaces

CCWS229

22" Filler

10 lbs.

For use with Series 9000 worksurfaces

W28½ x D13

Champagne, Charcoal, Pewter

CCWS18125

18" Filler

10 lbs.

For use with 1¼" worksurfaces

CCWS18150

18" Filler, 10 lbs.

10 lbs.

For use with 1½" worksurfaces

CCWS189

18" Filler

10 lbs.


For use with Series 9000 worksurfaces

W24¼ x D13

Champagne, Charcoal, Pewter

Specifying Hints

- 22" filler creates a 21" diagonal corner
- 18" filler creates a 17" diagonal corner
- Pre-drilled holes allow for easy keyboard support installation of 1¼" and 1½" fillers
- Self-drilling and self-tapping screws included with Series 9000 fillers



■ FREESTANDING PALM REST

- Use when keyboard is placed directly on desktop
- Cushioned support to palms during brief breaks in keying
- Fits keyboards up to 22" wide by 9½" deep
- Height adjusts ½" to 2"
- Available in two sizes
- Nylon padding can be easily cleaned or replaced in field



97S0303

CPRF

4 lbs.

1½" deep

W22 x D10

CPRFD

4 lbs.

3" deep


W22 x D10

Champagne, Charcoal, Pewter



■ FOOT REST

- Curved, non-skid surface
- Promotes good seated posture and blood circulation
- Four height positions (2" to 6" off floor)
- Patented design




98S0463

CFTR

8 lbs.

W18 x H2-6 x D12

Champagne, Charcoal



■ PROCESSOR STAND

- Economical solution for vertical storage of processors
- Lifts processor 1¼" off floor for improved air circulation around the CPU and added safety from bumping and tipping
- Two "feet" accommodate CPUs 3½" to 6½" wide and weights up to 55 lbs.



98S0286


CPRS

3 lbs.

W10* x H5 x D3¾

*fully expanded width

Black



Specifying Hints

- Requires maximum 10" wide floor clearance when fully extended

■ VERTICAL PROCESSOR SLING

- Stores vertical, tower-oriented processors under the worksurface
- Easy accessibility to disk drives and cables
- Slides out 4½" and swivels 360°
- Adjustable straps support processors with perimeters up to 53" and weights up to 75 lbs.
- For use with CD-ROM drives in tower-orientation only
- Mounts to underside of worksurface




98S0287

CPRSL

4 lbs.

W5½ x D19½

Black



Specifying Hints

- Requires minimum 20" work surface depth clearance
- Check with your MIS manager for recommendation on correct CPU support



Installation required

CPU must be at least 11" deep to work with the Vertical Processor Sling. If CPU depth is less than 11" use Processor Stand.



MONITOR BLOCKS

- Stackable 1½"-high blocks
- Positions VDT at most comfortable height
- Handy paper storage between tiers
- Cable management feature at back
- Supports up to 75 lbs.
- Available in packs of 3 and 18



98S0468

CMNB3

3-pack

5 lbs.


CMNB18

18-pack

25 lbs.

W12 x H1½ x D12

Champagne, Charcoal, Pewter



FREESTANDING IN-LINE DOCUMENT SUPPORT

- Reduces eye movement from your data to the screen
- Freestanding Unit
- Angle, depth, and horizontal slide adjustment
- Can be used in tandem with Monitor Risers
- 8" height adjustment of easel



03-0000860

CDFIS14

7 lbs.

W14 x H12 x D18

Black



IN-LINE DOCUMENT SUPPORT

- Reduces eye movement from your data to the screen
- Single riser included
- Angle, depth, and horizontal slide adjustment
- Use in tandem with Monitor Riser
- 8" height adjustment of easel



00S0119

CDIS14

7 lbs.


W14 x H12 x D18

Black



MONITOR RISER

- For use with the In-Line Document Support
- Assists in placing monitor at correct height
- Supports up to 75 lbs.
- Each Riser increases monitor height in 1" increments
- Available in packs of 4




01S0208

CMIS4

6 lbs.

W11¼ x H1 x D11¼

Black



Avoid placing the computer monitor below overhead bins or service modules, as this restricts adjustability.



SpecTip

DOCUMENT HOLDER

- Freestanding unit positions documents for visual comfort
- Holds letter- or legal-size documents vertically
- See-through slider holds a 5/8" stack of documents
- Slide base under VDT for improved stability and to conserve space
- Adjusts 10" vertically and swivels 360° at base




98S0470

CDH

2 lbs.

W9 x H12 x D5

Chalk



DOCUMENT STAND

- Freestanding unit
- Holds large and odd-size materials
- Rigid steel construction provides solid, versatile support on the worksurface
- Adjusts to 30° or 60° viewing angle




98S0464


CDS

4 lbs.

W16¼ x H10¼ x D14

Champagne, Charcoal, Pewter





VALUE-ADDED SERVICES

■ AD STOCK

Ad Stock is the marketing collateral fulfillment function of Steelcase Inc. The quickest way to obtain Ad Stock materials such as brochures, videos and swatches, is via in2.steelcase.com, click on Ad Stock. Search for an item, check inventory, place an order, and check shipping status quickly and easily on this web site. For more information call Ad Stock at 800.784.0358.

■ CUSTOM SOLUTIONS

Whether adapting an existing Details product or developing a totally unique concept, we're here to help. For application information or to specify a product, submit a request to the Steelcase IN2 site or www.details-worktools.com.

Please note: To ensure accurate pricing and timely delivery, a valid quote number is required on every order.

■ CUSTOMER ALLIANCE — here for the asking!

Have a question? Need more information? Need the name and number of the Details Market Manager or Dealer closest to you? Call our fast, friendly support line. They'll be happy to answer all of your questions including product specification and application information. **800.833.0411**

■ eDEALER PROGRAM

Details eDealer program is a catalog building tool that allows the creation of electronic shopping sites for Details products. This simple and affordable tool can help Details Dealers to:

Build on-line catalogs to capture incremental business from new audiences.

Build Client specific catalogs to:

- support customer worktools standards
- support Ergonomic/Health and Safety programs
- target new accounts
- process on-going, add-on needs after completion of major project

For more information about eDealer call, 1.877.538.5338. We can have you up and running with your first web catalog in 30 minutes!

■ ELECTRONIC DATA INTERCHANGE

Through the Electronic Data Interchange (EDI), dealers and Details can engage in two-way electronic communication. There's no paperwork, no re-entering of data for product orders and no hassles. The EDI service is established through a third-party network that can be set up quickly and easily. The most commonly used forms are already available on the system. To learn more about EDI, contact Hedberg support at 1.860.627.1610.

■ RED CARPET SERVICE

Details will package its products by individual workstation for a fee. If you have a need for this service, contact the Major Order Coordinator at **1.800.833.0411**. The coordinator will gather all necessary information needed to ensure the order is delivered to meet your exact specifications.

■ WEB SITE

Our Details web site includes valuable product information promoting organization, comfort, personalization and use of vertical space. **www.details-worktools.com**

■ MOCK-UPS

Sometimes showing the customer a sample of the product is all it takes to close the sale. This dealer program lets you order single units at a nominal cost. To access this service, contact Details Customer Alliance at **1.800.833.0411**. To assure correct pricing, be sure to include your sample quote number and clearly identify your order as a Details mock-up.

■ I/Q

I/Q is the "basic values collection" from Details. It's an easy-to-understand, no nonsense group of products selected and priced to meet the demands of today's business pressures. The combination of Details standard products as shown in this SpecCatalog and I/Q products as shown in the separate I/Q catalog (#02-0001602) means you can turn to one company to deliver the full product range needed to help make the workstation really work.

■ AD STOCK LISTING

July, 2003 PM-Print Material, AV-A/V Material, BF-Binder/Folder

LAPTOPPING

D6859	PM	Flat Screen Monitor Arm Focus Sheet
D6862	PM	The Impact Of Flat Screen Monitors
D6868	PM	Flat Screen Monitor Arm Thought Starter
D6876	PM	Details Galilei System Product Brochure
D6886	PM	Galilei Price List
D6887	PM	Galilei Value Engineering Package
D6888	PM	Galilei System Cut Sheets - Risers
D6889	PM	Galilei System Cut Sheets - Worktools
D6897	PM	Details Laptops Brochure

CST

D6653	PM	Compact Platform Help Sheet
D6671	PM	The Next Generation Keyboard
D6860	PM	Radius/Diagonal Product Focus Sheet
D6873	PM	Enhanced Slider Keyboard Platform Focus Sheet
D6874	PM	Jules Keyboard Platform Focus Sheet
D6878	PM	Thin Profile Stella Mechanism Focus Sheet
D6882	PM	Equilibrium Focus Sheet
D6894	AV	How To Adjust Your Mechanism - CD ROM
D6896	PM	Eastridge Mechanism Focus Sheet
02-0002250	PM	Classic Rectangular Focus Sheet

DETAILS, GENERAL

D6813	PM	Details GSA Catalog
D6855	PM	Discover Details: Who We Are (Brochure)
D6858	BF	Details Dealer Presentation Binder
D6863	PM	Details Identity Sticker
03-0000848	PM	Details SpecCatalog
D6870	BF	Details Hard Cover 1 x 3 Binder
D6879	PM	Details Color Sample Brochure
D6895	PM	Details Post Card Set
02-0001602	PM	I/Q Catalog
S70646	AV	Office Ergo Today Kit - Summit Training Video
03-0001027	PM	NeoCon 2003 Product Brochure

LIGHTING

D6893	PM	Details Lighting Brochure
D6900	PM	Underline Task Light Brochure
D6901	PM	Underline Price List
02-0001873	PM	Underline Dimming -- Focus Sheet
D6902	PM	Underline Cut Sheet
S11128	PM	Canopy Brochure
S11133	PM	Canopy Positioning Piece
S11174	PM	Canopy Cut File Sheet
03-0000485	AV	Interactive Video CD-ROM

OWT

D6841	PM	Tools That Help You Organize
D6857	AV	Personal Assessment Tool CD-ROM
03-0000863	PM	Containers
03-0001096	PM	Containers Color Card

SURFACE MATERIALS

D12US	PM	Details Color Sample Set* For U.S. and Canada *Container opaques are not included
-------	----	--



■ DETAILS INTERNATIONAL

For international needs, please contact your local Details Market Manager.

■ AVAILABILITY

Details products are available through any authorized Steelcase/Details dealer. All Details products ship with all necessary parts. Contact your local Steelcase/Details dealer for specific terms and conditions regarding ordering procedures, cancellations, freight costs, expedited services, handling charges and the return policy.

■ WARRANTY

Details warrants all standard products to be free from defects in design, material and workmanship if given normal use and care for ten (10) years from the date of shipment except as noted below. Details will repair or replace, any product or part thereof which fails as a result of such a defect during the warranty period. Details does not warrant matching of color, grain or texture, or any natural variations resulting from hand finishing techniques. This warranty is the customer's exclusive remedy for product defects and does not apply to:

- Damage caused by a carrier
- User modification (customer's own material/leather) applied to Details products
- Products not installed or used in accordance with Details installation and/or application guidelines
- Side Access Folder is warranted for two years
- Lighting ballast is warranted for five years
- Specials (Custom) product is warranted for two years

EXCEPT AS STATED ABOVE, DETAILS MAKES NO EXPRESSED OR IMPLIED WARRANTIES AS TO ANY PRODUCT, AND IN PARTICULAR, MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. DETAILS SHALL NOT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING FROM ANY PRODUCT DEFECT.

■ CANCELLATION

All orders are subject to acceptance by Seller. An acknowledgment copy of the order will be returned to the Buyer to confirm all order information and final prices. Details reserves the right to disallow requests for changes or cancellations on orders for standard products after ten (10) days from the receipt of the order. Orders requiring special construction or special materials are subject to additional charges and are not subject to cancellation. Details has the right to back-order any items unless purchase order specifically states shipment complete. Special items (non-catalog) for manufacture are not subject to cancellation.

Changes/cancellations must be communicated by Dealer to Customer Alliance.

■ DEALER RETURN POLICY

Authorized Details dealers may return unused product in its original carton up to ninety (90) days after the date of purchase. Before making a return you MUST call Customer Alliance (CA) at 1.800.833.0411 for a Return Goods Authorization (RGA) number and Form, which will be faxed to you. Attach the completed

RGA Form to the product to be returned. The RGA number, purchase order number, invoice number and the date of purchase must be included in the shipping documentation.

Unless otherwise specified by a CA Representative, all returned goods must be sent freight prepaid, and shipped to the following address:

Details – Returns
216 Durham Drive, Door 126
Athens, AL 35611

COD shipments and/or shipments without the completed RGA Form will be refused and returned at shipper's expense.

Product must be returned in its original carton and in sellable condition. All product is subject to a return goods inspection. Details reserves the right to deny credit due to the condition of the product, including the determination of user damage or abuse, and/or alterations to the original product design.

All returned product is subject to a MINIMUM restocking charge of 25%.

For product received by Dealer or Dealer's customer in damaged or defective condition or to return a product within the terms of Details warranty, call Customer Alliance at 1-800-833-0411 to arrange for a call tag, RGA and shipment back to Details.

The terms and conditions herein apply only to the continental 48 states. Orders outside the continental United States will be handled on a case-by-case basis.

■ STANDARD PRODUCT

Products listed in this Details SpecCatalog are considered standard products.

Lead-time

Details offers the best service in the business, and our standard product is usually shipped to you within an average of three business days. For larger quantities, leadtimes can run 2 to 10 weeks depending on the product and services ordered. Including specific planned delivery dates on orders and providing longer lead-times for large quantities will help us ensure on-time delivery. Orders without specific required dates will be shipped within 48 hours, or as soon as product is available.

If you have any questions about your order, please contact Customer Alliance at 1.800.833.0411.

■ RED CARPET SERVICE

For major project installations (100 workstations or more), Details will package by individual workstation for a fee. Each area is packaged and labeled to save time and effort.

Lead-time

Five additional business days are required with this service, especially for items that are not stocked in the Distribution Center. This additional time will include, but is not limited to, additional transit time to receive product into the Distribution Center plus additional packaging time required.

■ CUSTOM SOLUTIONS

A custom product is a non-standard Details product. It may be an adaptation of an existing Details product or the development of a totally unique concept.

Lead-time

Lead-times vary from 4 to 10 weeks depending on the complexity of the product's design, specifications and quantities ordered. Lead-times begin at the time a sample is approved (if required) and are exclusive of transit times. Early notification will provide a better opportunity for Details to ensure that we can meet your needs.

■ DELIVERY AND FREIGHT

A) All shipments within the 48 contiguous United States, except those designated to ports of embarkation, will be shipped FCA factory, freight prepaid and allowed regardless of weight. Details may select the most appropriate mode of shipment from the manufacturing point of its choice. Special shipping methods or handling will be subject to an additional charge.

B) All shipments outside of the 48 contiguous United States to the Zone 1 Caribbean areas designated in the Details Standard Price and Product Manual will be shipped FCA factory, as modified, freight prepaid, and allowed to port of embarkation. All charges beyond the point of embarkation are collect.

C) All shipments to Alaska and Hawaii will be shipped FCA factory; freight prepaid, and allowed to port of embarkation. Details reserves the right to select shipping method and the port of embarkation. All charges beyond the point of embarkation are collect.

D) If Dealer or Dealer's Customer receives a shipment in damaged condition, they shall note the damage on the carrier's freight bill(s) and not reject the shipment. Concealed damage must be reported to the transportation company within 15 days of delivery date. Damages noted on delivery receipt must be filed directly with the delivering carrier within nine (9) months from the date of the bill of lading. If a shipment is delivered on Steelcase trucks, claims for transportation damage must be filed directly with Steelcase.

■ TITLE; RISK OF LOSS

A) Except as provided in Subsection (B) below, title and risk of loss or damage shall pass from Details to Dealer upon delivery to the carrier.

B) Where shipment is by Steelcase truck, title and risk of loss shall pass to the Dealer or Dealer's Customer upon delivery to either of them, or to a designated storage site designated by either of them, or to the Dealer upon delivery to another carrier for delivery. If the product is to be placed in storage by Details, title and risk of loss shall pass immediately to Dealer upon Details placing the product in storage.

C) For international shipments, title and risk of loss or damage shall pass from Details to Dealer upon arrival, but before customs clearance, at the foreign (non-U.S.) (a) port of entry (for ocean shipments), (b) airport (for air shipments), or (c) first point of entry within the foreign jurisdiction for overland shipments.



■ ORGANIZATIONAL WORKTOOLS

SLATWALL		pg
WBHS	Binder Holder	15
WBSXS	Context Slatwall Stanchions	14
WDNS	Diskette / Note Holder	16
WFCS	Freestanding Slatwall Stanchions	14
WHB	Hanging Brackets	15
WHOOK	Utility Hook	15
WLTS	Letter Tray	15
WMB	Markerboard	17
WMEDIA	Media Holder	17
WOF5	Office in a File	17
WPCS	Pen/Pencil Cup	17
WPFS	PaperFlo Manager	15
WS30	Slatwall Tile, 30"	14
WS36	Slatwall Tile, 36"	14
WS42	Slatwall Tile, 42"	14
WS45	Slatwall Tile, 45"	14
WS48	Slatwall Tile, 48"	14
WS60	Slatwall Tile, 60"	14
WSAF	Side Access Folder	16
WSDS	Shallow Dish	17
WSPS	Personal Shelf	16
WSQS	Double Square Dish	16
WSW42AN	Panel Mount Brackets, Steelcase 42" Panels Answer / Kick	14
WSW42AV	Panel Mount Brackets, Steelcase 42" Panels Avenir	14
WSW42S9	Panel Mount Brackets, Steelcase 42" Panels Series 9000	14
WSWANS	Panel Mount Brackets, Steelcase Answer / Kick / TechWall	14
WSWAO	Panel Mount Brackets, Herman Miller Action Office	14
WSWET	Panel Mount Brackets, Herman Miller Ethospace	14
WSWET	Panel Mount Brackets, Gunlocke	14
WSWM	Wall Mount	14
WSWSU	Panel Mount Brackets, Steelcase I-Line	14
WSWUSA	Panel Mount Brackets, Steelcase Avenir	14
WSWUSA	Panel Mount Brackets, Steelcase Series 9000 / Valencia	14
WSWUSA	Panel Mount Brackets, AllSteel 8000	14
WSWUSA	Panel Mount Brackets, American Seating Framework	14
WSWUSA	Panel Mount Brackets, Haworth Places / UniGroup	14
WSWUSA	Panel Mount Brackets, Herman Miller A02 / A03	14
WSWUSA	Panel Mount Brackets, Hon Consensys / Terrace	14
WSWUSA	Panel Mount Brackets, Kimball Cetra	14
WSWUSA	Panel Mount Brackets, KI System 3000	14
WSWUSA	Panel Mount Brackets, Knoll Equity / Morrison / Rugby	14
WSWUSA	Panel Mount Brackets, La-Z-Boy Contract	14
WSWUSA	Panel Mount Brackets, Panel Concepts	14
WSWUSA	Panel Mount Brackets, Precision	14
WSWUSA	Panel Mount Brackets, Smed	14
WSWUSA	Panel Mount Brackets, Teknion TOS / Leverage	14
WSWUSA	Panel Mount Brackets, Trendway	14
WSWUSA	Panel Mount Brackets, Unicore	14
WSWUSA	Panel Mount Brackets, Xception	14
WTBS	Tackstrip	17
WTCS	Telephone Caddy	16
WUS	Universal Shelf, Single-pack	15
WUS3	Universal Shelf, Three-pack	15
WWB	Workboard, Single-pack	16

GALILEI ON SLATWALL - LAPTOP SUPPORT

CSLD	Laptop Drawer	20
KBR1	Systems Bracket on WorkFlo Rail, Straight Application	18
KBRC	Systems Bracket on WorkFlo Rail, Corner Application	18
KBRS	Stanchion Brackets	18
KBRW	Wall Mount Bracket	18
KCR	Cable Rings	20
KCSPD	Cable Spool	19
KJULES	Jules Keyboard Platform-Slatwall Mounted	20
KLAS	Active Shelf	18
KLPS	Passive Shelf	18
KLSC	Laptop Slatwall Cable	20
KMAC	Tech Module	19
KMINI	Mini Shelf	19
KP24	Riser, 24"	18
KP36	Riser, 36"	18
KP48	Riser, 48"	18
KPS	Peripheral Shelf	19
KUSB1	USB Hub	19
TCSCK	Laptop Security Cable	20

WORKFLO RAIL

KWB10	Galilei Interface Bracket	22
WB4	Interface Bracket, 4"	22
WB10	Interface Bracket, 10"	22
WBCU1	Panel Mount Brackets, AllSteel 8000 Corner	21
WBCU1	Panel Mount Brackets, American Seating Framework Corner	21
WBCU1	Panel Mount Brackets, Haworth Places / UniGroup Corner	21
WBCU1	Panel Mount Brackets, Hon Consensys / Terrace Corner	21
WBCU1	Panel Mount Brackets, Kimball Cetra Corner	21
WBCU1	Panel Mount Brackets, KI System 3000 Corner	21
WBCU1	Panel Mount Brackets, Knoll Equity / Morrison / Rugby Corner	21
WBCU1	Panel Mount Brackets, La-Z-Boy Contract Corner	21
WBCU1	Panel Mount Brackets, Panel Concepts Corner	21

WBCU1	Panel Mount Brackets, Precision Corner	21
WBCU1	Panel Mount Brackets, Smed Corner	21
WBCU1	Panel Mount Brackets, Steelcase Answer / Kick / TechWall Corner	21
WBCU1	Panel Mount Brackets, Steelcase Avenir Corner	21
WBCU1	Panel Mount Brackets, Steelcase Series 9000 / Valencia Corner	21
WBCU1	Panel Mount Brackets, Teknion TOS / Leverage Corner	21
WBCU1	Panel Mount Brackets, Trendway Corner	21
WBCU1	Panel Mount Brackets, Xception Corner	21
WBHR	Binder Holder	23
WBSAO	Panel Mount Brackets, Herman Miller Action Office Straight	21
WBSSET	Panel Mount Brackets, Gunlocke Straight	21
WBSSET	Panel Mount Brackets, Herman Miller Ethospace Straight	21
WBSSU	Panel Mount Brackets, Steelcase I-Line Straight	21
WBSU1	Panel Mount Brackets, AllSteel 8000 Straight	21
WBSU1	Panel Mount Brackets, American Seating Framework Straight	21
WBSU1	Panel Mount Brackets, Global Evolve Straight	21
WBSU1	Panel Mount Brackets, Haworth Places / UniGroup Straight	21
WBSU1	Panel Mount Brackets, Hon Consensys / Terrace Straight	21
WBSU1	Panel Mount Brackets, Kimball Cetra Straight	21
WBSU1	Panel Mount Brackets, KI System 3000 Straight	21
WBSU1	Panel Mount Brackets, Knoll Equity / Morrison / Rugby Straight	21
WBSU1	Panel Mount Brackets, La-Z-Boy Contract Straight	21
WBSU1	Panel Mount Brackets, Panel Concepts Straight	21
WBSU1	Panel Mount Brackets, Precision Straight	21
WBSU1	Panel Mount Brackets, Smed Straight	21
WBSU1	Panel Mount Brackets, Steelcase Answer / Kick / TechWall Straight	21
WBSU1	Panel Mount Brackets, Steelcase Avenir Straight	21
WBSU1	Panel Mount Brackets, Steelcase Series 9000 / Valencia Straight	21
WBSU1	Panel Mount Brackets, Teknion TOS / Leverage Straight	21
WBSU1	Panel Mount Brackets, Trendway Straight	21
WBSU1	Panel Mount Brackets, Unicore Straight	21
WBSU1	Panel Mount Brackets, Xception Straight	21
WBSW	Wall Mount	21
WBSX	Context Rail Stanchions	22
WCS30S	Corner Computer Shelf	24
WDN	Diskette / Note Holder	24
WDT14	In/Out Document Tray	23
WES	Equipment Supports	24
WFRC	Freestanding Rail Stanchions	22
WLTR	Letter Tray	23
WMEDIAR	Media Holder	25
WMS18S	Computer Shelf	23
WOFR	Office in a File	25
WPC	Pen/Pencil Cup	25
WPS13S	Personal Shelf, Small	25
WRC30	WorkFlo Rail, 30" Corner	21
WRC36	WorkFlo Rail, 36" Corner	21
WRC42	WorkFlo Rail, 42" Corner	21
WRC45	WorkFlo Rail, 45" Corner	21
WRPF11	Paperflo Manager	23
WRS24	WorkFlo Rail, 24" Straight	21
WRS30	WorkFlo Rail, 30" Straight	21
WRS35	WorkFlo Rail, 35" Straight	21
WRS36	WorkFlo Rail, 36" Straight	21
WRS42	WorkFlo Rail, 42" Straight	21
WRS45	WorkFlo Rail, 45" Straight	21
WRS48	WorkFlo Rail, 48" Straight	21
WRS60	WorkFlo Rail, 60" Straight	21
WSD	Shallow Dish	24
WSQ	Double Square Dish	25
WTC	Telephone Caddy	24

FREESTANDING / STORAGE SOLUTIONS

Containers		
WFILE	File Containers	26
WPROJ	Project Containers	26
WTROL2	Simple Trolley	26

Storage Solutions

WDPD-L	Pelican Pencil Drawer, Locking	27
WDPD-NL	Pelican Pencil Drawer, Non-Locking	27
WDPL	Pelican Pencil Drawer, Optional Security Lid	27
WIB	Pelican Installation Bar	27

Freestanding

DRCY	Recycling Labels	29
DWBE	Wastebasket	29
FTH	Flat Top Hanger	29
WBHS	Binder Holder	27
WDNS	Diskette/Note Holder	28
WDT14	In/Out Document Tray	28
WLTS	Letter Tray	28
WMEDIA	Media Holder	29
WOF5	Office in a File	29
WSAF	Side Access Folder	28
WUS	Universal Shelf, Single-pack	27
WUS3	Universal Shelf, Three-pack	27
WWB	Workboard, Single-pack	29
WWT	Work Tags	28

PERSONAL TASK LIGHTING

Underline

LT2	T2 Task Light flush mount	37
LT2CHI	T2 Task Light flush mount w/Chicago plug	37
LT2D	Dimming Task Light flush mount	37
LT2DCHI	Dimming Task Light flush mount w/Chicago plug	37
LT2DNY	Dimming Task Light flush mount for New York	37
LT2NY	T2 Task Light flush mount for New York	37
LT2R	T2 Task Light recessed	37
LT2RCHI	T2 Task Light recessed w/Chicago plug	37
LT2RD	Dimming Task Light recessed	37
LT2RDCHI	Dimming Task Light recessed w/Chicago plug	37

Canopy - Worksurface Mounted

LCS24K	24" W Electronic Ballast	38
LCS24KC	24" W Electronic Ballast, Chicago Code	38
LCS24KR	24" W Electronic Ballast w/Dimmer Switch	38
LCS24KRC	24" W Electronic Ballast w/Dimmer Switch, Chicago Code	38
LCS36K	36" W Electronic Ballast	38
LCS36KC	36" W Electronic Ballast, Chicago Code	38
LCS36KR	36" W Electronic Ballast w/Dimmer Switch	38
LCS36KRC	36" W Electronic Ballast w/Dimmer Switch, Chicago Code	38
LCS48K	48" W Electronic Ballast	38
LCS48KC	48" W Electronic Ballast, Chicago Code	38
LCS48KR	48" W Electronic Ballast w/Dimmer Switch	38
LCS48KRC	48" W Electronic Ballast w/Dimmer Switch, Chicago Code	38

Canopy - Panel Mounted

LCP24K	24" W Electronic Ballast	38
LCP24KC	24" W Electronic Ballast, Chicago Code	38
LCP24KR	24" W Electronic Ballast w/Dimmer Switch	38
LCP24KRC	24" W Electronic Ballast w/Dimmer Switch, Chicago Code	38
LCP36K	36" W Electronic Ballast	38
LCP36KC	36" W Electronic Ballast, Chicago Code	38
LCP36KR	36" W Electronic Ballast w/Dimmer Switch	38
LCP36KRC	36" W Electronic Ballast w/Dimmer Switch, Chicago Code	38
LCP48K	48" W Electronic Ballast	38
LCP48KC	48" W Electronic Ballast, Chicago Code	38
LCP48KR	48" W Electronic Ballast w/Dimmer Switch	38
LCP48KRC	48" W Electronic Ballast w/Dimmer Switch, Chicago Code	38
LCW9RIS	Rail-Mounting Riser	38

Canopy - Pathways Mounted

LCG24K	24" W Electronic Ballast	39
LCG24KC	24" W Electronic Ballast, Chicago Code	39
LCG24KR	24" W Electronic Ballast w/Dimmer Switch	39
LCG24KRC	24" W Electronic Ballast w/Dimmer Switch, Chicago Code	39
LCG36K	36" W Electronic Ballast	39
LCG36KC	36" W Electronic Ballast, Chicago Code	39
LCG36KR	36" W Electronic Ballast w/Dimmer Switch	39
LCG36KRC	36" W Electronic Ballast w/Dimmer Switch, Chicago Code	39
LCG48K	48" W Electronic Ballast	39
LCG48KC	48" W Electronic Ballast, Chicago Code	39
LCG48KR	48" W Electronic Ballast w/Dimmer Switch	39
LCG48KRC	48" W Electronic Ballast w/Dimmer Switch, Chicago Code	39

Canopy - Context Mounted

LCX24K	24" W Electronic Ballast	39
LCX24KC	24" W Electronic Ballast, Chicago Code	39
LCX24KR	24" W Electronic Ballast w/Dimmer Switch	39
LCX24KRC	24" W Electronic Ballast w/Dimmer Switch, Chicago Code	39
LCX36K	36" W Electronic Ballast	39
LCX36KC	36" W Electronic Ballast, Chicago Code	39
LCX36KR	36" W Electronic Ballast w/Dimmer Switch	39
LCX36KRC	36" W Electronic Ballast w/Dimmer Switch, Chicago Code	39
LCX48K	48" W Electronic Ballast	39
LCX48KC	48" W Electronic Ballast, Chicago Code	39
LCX48KR	48" W Electronic Ballast w/Dimmer Switch	39
LCX48KRC	48" W Electronic Ballast w/Dimmer Switch, Chicago Code	39

Chester Electronic Ballast

LCHE9	Panel-Mounted, Series 9000 / Valencia	40
LCHEA	Panel-Mounted, Avenir	40
LCHEAN	Panel-Mounted, Answer / Kick	40
LCHEAO	Panel-Mounted, Herman Miller Action Office	40
LCHEC1	Freestanding C-Clamp, Single Arm	40
LCHEC2	Freestanding C-Clamp, Double Arm	40
LCHECX	Panel-Mounted, Context, Vertical Double Arm	40
LCHEE	Panel-Mounted, Elective Elements	40
LCHEET	Panel-Mounted, Herman Miller Ethospace	40
LCHEF1	Freestanding Base, Single Arm	40
LCHEF2	Freestanding Base, Double Arm	40
LCHEHA	Panel-Mounted, Haworth Places, UniGroup	40
LCHEKN	Panel-Mounted, Knoll / Equity & Morrison	40
LCHEPW	Panel-Mounted, Pathways	40
LCHEP1	Panel-Mounted, Slatwall, Single Arm	40
LCHEP2	Panel-Mounted, Slatwall, Double Arm	40
LCHESH	Panel-Mounted, Slatwall, Horizontal	40
LCHEW1	Panel-Mounted, WorkFlo Rail, Single Arm	40
LCHEW2	Panel-Mounted, WorkFlo Rail, Double Arm	41

Lyra

LLY139	Panel-Mounted, Series 9000/Valencia 13-Watt	40
LLY13A	Panel-Mounted, Avenir 13-Watt	40
LLY13AN	Panel-Mounted, Answer / Kick 13-Watt	40
LLY13AO	Panel-Mounted, Herman Miller Action Office 13-Watt	40
LLY13C	Panel-Mounted, Context 13-Watt	40
LLY13CP	Freestanding, C-Clamp 13-Watt	40
LLY13E	Panel-Mounted, Elective Elements 13-Watt	40
LLY13ET	Panel-Mounted, Herman Miller Ethospace 13-Watt	40
LLY13F	Freestanding, 13-Watt	40
LLY13HA	Panel-Mounted, Haworth Places, UniGroup 13-Watt	40
LLY13KN	Panel-Mounted, Knoll / Morrison 13-Watt	40
LLY13MT	Panel-Mounted, Montage 13-Watt	40
LLY13PW	Panel-Mounted, Pathways 13-Watt	40
LLY13SW	Panel-Mounted, Slatwall 13-Watt	40
LLY13WF	Panel-Mounted, WorkFlo Rail 13-Watt	40
LLYRA9	Panel-Mounted, Series 9000/Valencia 9-Watt	40
LLYRAA	Panel-Mounted, Avenir 9-Watt	40
LLYRAC	Panel-Mounted, Context 9-Watt	40
LLYRAE	Panel-Mounted, Elective Elements 9-Watt	40
LLYRAF	Freestanding, 9-Watt	40
LLYRAN	Panel-Mounted, Answer / Kick 9-Watt	40
LLYRAO	Panel-Mounted, Herman Miller Action Office 9-Watt	40
LLYRCP	Freestanding, C-Clamp 9-Watt	40
LLYRET	Panel-Mounted, Herman Miller Ethospace 9-Watt	40
LLYRHA	Panel-Mounted, Haworth Places, UniGroup 9-Watt	40
LLYRKN	Panel-Mounted, Knoll / Morrison 9-Watt	40
LLYRMT	Panel-Mounted, Montage 9-Watt	40
LLYRPW	Panel-Mounted, Pathways 9-Watt	40
LLYRSW	Panel-Mounted, Slatwall 9-Watt	40
LLYRWF	Panel-Mounted, WorkFlo Rail 9-Watt	40

IOS

LIOS9	Panel-Mounted, Series 9000/Valencia	41
LIOSA	Panel-Mounted, Avenir	41
LIOSAN	Panel-Mounted, Answer / Kick	41
LIOSAO	Panel-Mounted, Herman Miller Action Office	41
LIOSC	Panel-Mounted, Context	41
LIOSCP	Freestanding, C-Clamp	41
LIOSE	Panel-Mounted, Elective Elements	41
LIOSET	Panel-Mounted, Herman Miller Ethospace	41
LIOSF	Freestanding	41
LIOSHA	Panel-Mounted, Haworth Places, UniGroup	41
LIOSKN	Panel-Mounted, Knoll / Morrison	41
LIOSMT	Panel-Mounted, Montage	41
LIOSPW	Panel-Mounted, Pathways	41
LIOSSW	Panel-Mounted, Slatwall	41
LIOSWF	Panel-Mounted, WorkFlo Rail	41

Paloma

LPAL9	Panel-Mounted, Series 9000/Valencia	41
LPALA	Panel-Mounted, Avenir	41
LPALAN	Panel-Mounted, Answer Kick	41
LPALAO	Panel-Mounted, Herman Miller Action Office	41
LPAL	Panel-Mounted, Elective Elements	41
LPAL	Panel-Mounted, Herman Miller Ethospace	41
LPALHA	Panel-Mounted, Haworth Places, UniGroup	41
LPALKN	Panel-Mounted, Knoll / Equity & Morrison	41
LPALPW	Panel-Mounted, Pathways	41
LPALSW	Panel-Mounted, Slatwall	41

Elsa

LELS9	Panel-Mounted, Series 9000/Valencia	42
LELSA	Panel-Mounted, Avenir	42
LELSAN	Panel-Mounted, Answer / Kick	42
LELSAO	Panel-Mounted, Herman Miller Action Office	42
LELSCP	Freestanding, C-Clamp	42
LELSE	Panel-Mounted, Elective Elements	42
LELSET	Panel-Mounted, Herman Miller Ethospace	42
LELSF	Freestanding	42
LELSHA	Panel-Mounted, Haworth Places, UniGroup	42
LELSKN	Panel-Mounted, Knoll / Equity & Morrison	42
LELSPW	Panel-Mounted, Pathways	42
LELSSW	Panel-Mounted, Slatwall	42
LELSWF	Panel-Mounted, WorkFlo Rail	42

Pisa

LPISA	Freestanding	42
PPS6SP	Powerpincher w/ Occupancy Sensor	42

COMPUTER SUPPORT TOOLS

Popular Combinations

CCCAF1	Stella Extended Mount without Palm Rest	56-57, 60-61
CCCAF2	Stella Extended Mount Positionable Palm Rest	56-57, 60-61
CCSAF1	Stella Standard Mount without Palm Rest	52-53, 57
CCSAF2	Stella Standard Mount, Positionable Palm Rest	49, 52-53, 57
CSEKS	Compact, Extended Spring Assist, 1.5" Palm Rest	54, 56-58, 60-61
CSEKSD	Compact, Extended Spring Assist, 3" Palm Rest	54, 56-58, 60-61
CSKS	Compact, Standard Spring Assist, 1.5" Palm Rest	52-54, 56-57, 60-61
CSKSD	Compact, Standard Spring Assist, 3" Palm Rest	52-54, 56-57, 60-61



Popular Combinations

	pg	
MKC004	Slider, Standard Spring Assist, 1.5" Palm Rest	52-53
MKC017	Slider, Extended Spring Assist, 1.5" Palm Rest	56-57, 60-61
MKC041	Compact, Standard Stella, 1.5" Palm Rest	52-54, 56-57
MKC042	Compact, Standard Stella, 3" Palm Rest	52-54, 56-57
MKC044	Slider, Standard Stella, 1.5" Palm Rest	49, 52-53
MKC055	Stella Standard Mount, Full Width, Fixed Height Palm Rest	52, 53, 57
MKC056	Stella Standard Mount, Full Width, Height Adj. Palm Rest	52, 53, 57
MKC057	Stella Extended Mount, Full Width, Fixed Height Palm Rest	56-57, 60-61
MKC058	Stella Extended Mount, Full Width, Height Adj. Palm Rest	56-57, 60-61
MKC069	Compact, Extended Stella, 1.5" Palm Rest	54, 56-58, 60-61
MKC070	Compact, Extended Stella, 3" Palm Rest	54, 56-58, 60-61
MKC071	Slider, Extended Stella, 1.5" Palm Rest	49, 56-57, 60-61
MKC072	Slider, Standard Spring Assist, 3" Palm Rest	52-53
MKC073	Slider, Extended Spring Assist, 3" Palm Rest	56-57, 60-61
MKC076	Slider, Standard Stella, 3" Palm Rest	52-53
MKC077	Slider, Extended Stella, 3" Palm Rest	56-57, 60-61
MKC090	Compact, Eastridge, 1.5" Palm Rest	53-54, 56-58, 60-61
MKC091	Compact, Eastridge, 3" Palm Rest	53-54, 56-58, 60-61
MKC092	Slider, Eastridge, 1.5" Palm Rest	53, 56-57, 60-61
MKC093	Slider, Eastridge, 3" Palm Rest	53, 56-57, 60-61
MKC101	18" Radius, Standard Spring Assist	60-61
MKC102	17" Diagonal, Standard Spring Assist	52-54, 56-57
MKC103	21" Diagonal, Standard Spring Assist	52-53, 56-57
MKC108	18" Radius, Eastridge	49, 60-61
MKC109	17" Diagonal, Eastridge	49, 53-54, 56-57
MKC110	21" Diagonal, Eastridge	53, 56-57
MKC115	18" Radius, Standard Stella	60-61
MKC116	17" Diagonal, Standard Stella	52-54, 56-57
MKC117	21" Diagonal, Standard Stella	52-53, 56-57
MKC125	Jules, Standard Spring Assist	52-54, 56-57, 60-61
MKC126	Jules, Extended Spring Assist	54, 56-58, 60-61
MKC127	Jules, Eastridge	49, 53-54, 56-57, 60-61
MKC128	Jules, Standard Stella	52-54, 56-57, 60-61
MKC129	Jules, Extended Stella	49, 54, 56-58, 60-61
MKC130	Equilibrium, Standard Spring Assist without Palm Rest	52-53, 57, 61
MKC131	Equilibrium, Standard Spring Assist, Positionable Palm Rest	52-53, 57, 61
MKC132	Equilibrium, Standard Spring Assist, Full Width Palm Rest	52-53, 57, 61
MKC133	Equilibrium, Eastridge without Palm Rest	53, 57, 61
MKC134	Equilibrium, Eastridge, Positionable Palm Rest	53, 57, 61
MKC135	Equilibrium, Eastridge, Full Width Palm Rest	53, 57, 61
MKC136	Equilibrium, Standard Stella without Palm Rest	52-53, 57, 61
MKC137	Equilibrium, Standard Stella, Positionable Palm Rest	52-53, 57, 61
MKC138	Equilibrium, Standard Stella, Full Width Palm Rest	52-53, 57, 61
MKC155	Classic Rectangular, Eastridge	53, 56-57, 61
MKC156	Classic Rectangular w/Positionable Palm Rest, Eastridge	53, 56-57, 61
MKC157	Classic Rectangular with Full Width, Fixed Height Palm Rest, Eastridge	53, 56-57, 61
MKC158	Classic Rectangular with Full Width, Height Adjustable Palm Rest, Eastridge	53, 56-57, 61
MKC159	Classic Rectangular, Standard Spring Assist	52-53
MKC160	Classic Rectangular with Positionable Palm Rest, Standard Spring Assist	52-53
MKC161	Classic Rectangular with Full Width, Fixed-Height Palm Rest, Standard Spring Assist	52-53
MKC162	Classic Rectangular with Full Width, Height-Adjustable Palm Rest, Standard Spring Assist	52-53
MKC163	Classic Rectangular, Extended Spring Assist	56-57, 61
MKC164	Classic Rectangular with Positionable Palm Rest, Extended Spring Assist	56-57, 61
MKC165	Classic Rectangular with Full-Width, Fixed-Height Palm Rest, Extended Spring Assist	56-57, 61
MKC166	Classic Rectangular with Full-Width, Height-Adjustable Palm Rest, Extended Spring Assist	56-57, 61

Mechanisms

CMCEQ	Extended Stella	63
CMCSQ	Standard Stella	63
CMSES	Extended Spring Assist	62
CMSSS	Standard Spring Assist	62
CMUES	Eastridge	62

Keyboard Platforms

CSAM	Jules	64
CSC	Compact with 1.5" Adjustable Palm Rest	64
CSCD	Compact with 3" Adjustable Palm Rest	64
CSD17V2	17" Diagonal	64
CSD21V2	21" Diagonal	64
CSIM	Equilibrium without Palm Rest	65
CSIMFP	Equilibrium, Full Width Palm Rest	65
CSIMPP	Equilibrium, Positionable Palm Rest	65
CSP	Slider with 1.5" Adjustable Palm Rest	65
CSPD	Slider with 3" Adjustable Palm Rest	65
CSR18V2	18" Radius	64
CSS	Classic Rectangular, without Palm Rest	65
CSSAP	Classic Rectangular, with Full-Width, Height-Adjustable Palm Rest	65
CSSFP	Classic Rectangular, with Full-Width, Fixed height Palm Rest	65
CSSPP	Classic Rectangular, w/positionable Palm Rest	65

Standard Assemblies

99274A	Keyboard Support without Palm Rest	66
99274PR	Keyboard Support with Palm Rest	66
CSVSPM	Easy Spec with Palm Rest and Mouse Surface	66

Fixed Mount Combinations

CCTT	Stella Assembly without Palm Rest	67
CCTTP	Stella Assembly, Positionable Palm Rest	67
CSFMSS	Standard Spring Assist Mechanism	67
MKC050	Slider, Standard Stella, 1.5" Palm Rest	67
MKC067	Stella Assembly, Full Width, Fixed Height Palm Rest	67
MKC068	Stella Assembly, Full Width, Height Adj. Palm Rest	67
MKC078	Slider, Standard Stella, 3" Palm Rest	67
MKC122	18" Radius, Standard Stella	67
MKC123	17" Diagonal, Standard Stella	67
MKC124	21" Diagonal, Standard Stella	67
MKC139	Jules, Standard Stella	67
MKC143	Equilibrium, Standard Stella without Palm Rest	67
MKC144	Equilibrium, Standard Stella, Positionable Palm Rest	67
MKC145	Equilibrium, Standard Stella, Full Width Palm Rest	67

Flat Panel Monitor Support & Arms

CFWM	Wall Mount Support	68
CF450	Light-Duty Arm	68
CF800	Standard Arm	68
CF1000	Heavy-Duty Arm	68
CFSHA	Pole Mount, Single Arm	68
CFDHA	Pole Mount, Double Arm	68

Flat Panel Monitor Brackets

CFSP9C	Series 9000, Corner	69
CFSP9S	Series 9000, Straight	69
CFSPAC	Avenir, Corner	69
CFSPANC	Answer / Kick, Corner	69
CFSPANS	Answer / Kick, Straight	69
CFSPAS	Avenir, Straight	69
CFSPC	Desk-Clamp / Grommet	69
CFSPSR	I/Q Slatrail	69
CFSPSW	Slatwall	69
CFSPMT	Through Mount	69
CFSPWF	WorkFlo Rail	69
CFSPWM	Wall / Reverse Wall Mount	69

Mouse Supports and Palm Rests

CADW	Adjustable Writing/Mousing Surface	70
CAP	1.5" Palm Rest	71
CAPD	3" Palm Rest	71
CCP	Stella Positionable Palm Rest	71
CIFP	Equilibrium Full Width Palm Rest	71
CIPP	Equilibrium Positionable Palm Rest	71
CKF	Compact Fixed Mouse Pad	70
CKMS	Compact Adjustable Swivel and Tilt Mouse Pad	70
CPA	Stella Full Width Height Adjustable Palm Rest	71
CPF	Stella Full Width Fixed Height Palm Rest	71
CPRA	Accessory Palm Rest, 1.5"	70
CPRAD	Accessory Palm Rest, 3"	70
CSSTM	Slide, Swivel, Tilt Mouse Pad	70
CSWP	Cushioned Replacement Pad, 1.5"	71
CSWPD	Cushioned Replacement Pad, 3"	71
SMPRS	Slider Mousing Surface Palm Rest	71


Monitor/Worksurface Tools

CCGF15	Glare Screen, 15"	72
CCGF17	Glare Screen, 17"	72
CCGF21	Glare Screen, 21"	72
CCWS18125	Corner Filler, 18" for 1.25" Worksurfaces	72
CCWS18150	Corner Filler, 18" for 1.5" Worksurfaces	72
CCWS189	Corner Filler, 18" for Series 9000 Worksurfaces	72
CCWS22125	Corner Filler, 22" for 1.25" Worksurfaces	72
CCWS22150	Corner Filler, 22" for 1.5" Worksurfaces	72
CCWS229	Corner Filler, 22" for Series 9000 Worksurfaces	72
TCMK	Cable Manager	72
TWSB	Cable Keeper	72


Sitting and Processing Worktools

CDH	Document Holder	74
CDIS14	In-Line Document Support, 14"	74
CDS	Document Stand	74
CDIFS14	Freestanding In-Line Document Support	74
CFTR	Foot Rest	73
CPRF	Freestanding 1.5" Palm Rest	73
CPRFD	Freestanding 3.0" Palm Rest	73
CMIS4	Monitor Riser, 4-Pack	74
CMNB3	Monitor Blocks, 3-Pack	74
CMNB18	Monitor Blocks, 18-Pack	74
CPRS	Processor Stand	73
CPRSL	Vertical Processor Sling	73

Organizational Worktools



Personal Task Lighting



Note: See Steelcase Surface Materials Guide for Canopy lighting finishes

Computer Support Tools



Not all finishes are available for all products. See individual product descriptions for finish availability. Finishes depicted here may not be precise due to printing limitations. See finish samples for more precise representation, or order a Details Color Card Brochure (D6879), available through Ad Stock.

The place to start is at the finish.



800.833.0411

Support from Customer Alliance

For a better day at work.™

details®

A STEELCASE COMPANY